SMD Ultra Low Profile Crystal


ABS07L

Moisture Sensitivity Level (MSL) = Level 1

FEATURES:

- Lowest height kHz package for 32.768kHz Crystals
- 0.38mm height ideal for high density circuit boards
- Ceramic package offers excellent environmental & heat resistance
- Excellent shock and vibration resistance





> APPLICATIONS:


- Wide range in communication & measuring equipment
- Commercial & Industrial applications
- Wireless communications
- PDA and Palm Pilots
- Credit Cards with Security Technology

STANDARD SPECIFICATIONS:

| Parameters | Minimum | Typical | Maximum | Units | Notes |
|-----------------------------------|---------|------------|---------|--------------------|-------------|
| Frequency | | 32.768 | | kHz | |
| Operating Temperature | -40 | | +85 | °C | |
| Storage Temperature | -55 | | +125 | °C | |
| Frequency Tolerance @+25°C | -20 | | +20 | ppm | See options |
| Temperature Coefficient: | | -0.035±10% | | ppm/C ² | |
| Turn-over temperature: | +20 | +25 | +30 | °C | |
| Equivalent series resistance (R1) | | 55 | 80 | kΩ | |
| Shunt capacitance (C0) | | 1.4 | | pF | |
| Motional capacitance (C1) | | 3.5 | | fF | |
| Load capacitance (CL) | | 12.5 | | pF | See options |
| Drive Level | | | 0.5 | μW | |
| Aging@25°C | -3 | | 3 | ppm | First year |
| Insulation Resistance | 500 | | | ΜΩ | |

OPTIONS & PART IDENTIFICATION:

(Left blank if standard)



Note: Please contact Abracon for tighter Freq. tolerance







SMD Ultra Low Profile Crystal


ABS07L






OUTINE DRAWING:






Recommended Land Pattern



Dimensions: mm All Dimensions are typical values.

RECOMMENDED REFLOW PROFILE:









SMD Ultra Low Profile Crystal

ABS07L





TAPE & REEL:



ATTENTION: Abracon Corporation's products are COTS - Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



