





Agilent N5430A Infiniium User-Defined Function Application for Infiniium Oscilloscopes

Data Sheet



- Enhance your Infiniium oscilloscope with the analysis power of MATLAB® software
- Develop custom analysis functions directly on Infiniium oscilloscopes
- Live waveform update from a seamless gateway to the MATLAB functionality
- Combinable with other Agilent analysis software solutions

Purchase MATLAB directly from Agilent, by purchasing it as options 60 or 61 with your new Infiniium Series oscilloscope. Agilent is the only test and measurement vendor that is able to sell the MathWorks MATLAB software.

Create and execute custom math and analysis functions

Have you ever wished your oscilloscope had better math and analysis features? Have you ever wanted to create your own math functions or filters for your specific needs? With today's increasingly complex signals, the standard analysis routines provided with an oscilloscope are sometimes not enough.

Now, Agilent has the perfect solution to meet your specific needs – on demand. The Agilent Technologies' N5430A Infiniium user-defined function software allows you to create and execute your own custom math and

analysis functions using the power of the MATLAB software environment from The MathWorks.

MATLAB is a software environment and high-level language used to acquire, analyze, and visualize data. With a seamless integration to the MATLAB environment, Agilent Infiniium oscilloscopes allow you to display your math and analysis functions created in MATLAB live on the oscilloscope screen, just like any of the scope's standard functions. Or, you can interactively analyze and visualize your results in the MATLAB environment, with capabilities such as graphically plotting results or automatically generating reports.



Agilent Technologies


Infiniium User-Defined Function Software

It's easy and simple. User-defined function = XML + MATLAB script

The Agilent Infiniium user-defined function consists of two components: an XML file and a MATLAB script file.


The XML file defines the components of the graphical user interface that appears on the “Math” dialog box shown in the right side in Figure 3. An example XML file used to create a user interface for a Butterworth low-pass filter is shown in Figure-1. You will define the name of the function, abbreviation, source types, and controls in the XML file. The Infiniium user-defined function can support up to two sources (one source, two sources, or clock/data combination) and two controls. It also comes with a standard XML schema if you wish to validate your XML file. (Look on public Web sites for a free XML syntax checker that you can use in conjunction with the XML schema.)

The MATLAB script (the .m script file) will be the main program of the function, which is developed in the MATLAB environment using MATLAB's software tools and programming language. Figure 2 shows an example of a Butterworth low-pass filter shown in the MATLAB editor. The functions “butter” and “filter” available in MATLAB and its Signal Processing Toolbox are the essential components for making this user-definable filter.



```
<?xml version="1.0"?>
<DOCTYPE functions SYSTEM "Functions.dtd">
<Functions xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="Functions.xsd"
  Version="1">
  <Function>
    <Name>Butterworth</Name>
    <Abbreviation>BTR</Abbreviation>
    <MATLABName>Butterworth</MATLABName>
    <MATLABType>Source</MATLABType>
    <FunctionType>1 Source</FunctionType>
    <Control Name = "Data Rate">
      <Double>
        <Min>1e9</Min>
        <Max>10e9</Max>
        <Resolution>1000</Resolution>
        <Default>2.5e9</Default>
        <Units>Hertz</Units>
      </Double>
    </Control>
  </Function>
</Functions>
```

Figure 1. XML file example



```
1 % -----
2 % Filter developed in the
3 % MATLAB software environment.
4
5 % Filter order
6 - N = 2;
7
8 % Determine cutoff frequency
9 - BitRate = Control1;
10 - Fc = BitRate/2;
11
12 % Constant output variables
13 - Gain = 1.0;
14 - FilterDelay = N * 0.12 / Fc;
15 - FilterWidth = N / Fc;
16
17 % Create the Butterworth filter
18 - Wc = 2 * SrcXInc * Fc;
19 - [B,A] = butter(N,Wc);
20
21 % Perform the filtering
22 - FnData = filter(B,A,SrcData);
23
24 % Remove group delay
25 - FnXFirst = SrcXFirst - FilterDelay;
26 - FnXInc = SrcXInc;
27 - FnYScale = SrcYScale * Gain;
28 - FnYMiddle = SrcYMiddle;
```

Figure 2. MATLAB script example (shown in the MATLAB editor)

Infiniium User-Defined Function Software




Figure 3. User-defined function overview. Comparison of waveform before and after going through the Butterworth low-pass filter created in the MATLAB editor

The results of using the Butterworth low-pass filter are shown in Figure 3. A live swept sine wave signal is input into channel 1 (the first waveform – yellow), where the signal is shown with infinite persistence. An FFT analysis of channel 1 with

infinite persistence is shown in the second waveform (pink).

The third waveform (purple) is the time domain waveform result after going through the Butterworth low-pass filter created in the MATLAB editor.

Finally, an FFT analysis of the filtered data is shown in the bottom waveform (pale pink). You can observe that the Butterworth low-pass filter is successfully cutting off the high-frequency components.

Infiniium User-Defined Function Software

Use in combination with other Agilent application packages

Although the Agilent Infiniium user-defined function gives you the capability you need to develop custom measurement functions, you can extend your capabilities by combining it with other Agilent application solution software, such as the Agilent N5400A EZJIT Plus jitter analysis software and E2688A high-speed serial data analysis software.

For example, you can equalize the attenuated signal transmitted through an FR4 PCB using a “linear feed-forward equalizer” created by an Infiniium user-defined function (see Figure-4), then apply the N5400A EZJIT Plus to evaluate the total jitter by decomposing jitter components into random and deterministic jitter (see Figure 6). Or, perhaps you can obtain the clock location using the E2688A high-speed serial data analysis software, and create an eye pattern for visual analysis using the MATLAB plotting feature (Figure-5).

Finally, you can compare the measurement results before and after applying the equalization in order to analyze the effect of equalization. This analysis was only possible previously using an external PC. Now you can use the Infiniium user-defined function with MATLAB functionality to make custom measurements directly on Infiniium oscilloscopes.



Figure 4. The signal on channel 1 went through linear feed-forward equalization and is displayed in function 1.




Figure 5. The eye pattern of an equalized signal created using E2688A high-speed serial data analysis software and the MATLAB plotting feature.




Figure 6. Total jitter analysis by Rj/Dj decomposition through N5400A EZJIT Plus jitter analysis software

Key Specifications/System Requirements/Compatibilities

Specifications

One source, two sources, or clock and data combination are supported

Up to two controls (user input passed on to MATLAB) are supported

Controls can be "double," "enumeration," "integer," or "string"

Up to four simultaneous MATLAB functions are supported

Up to 20 user-defined functions are supported

Recommended MATLAB Toolbox installations	Instrument Control Toolbox Signal Processing Toolbox
------------------------------------------	---------------------------------------------------------

Oscilloscopes

Required software revision

Infiniium DSO/DSA 90000 Series	Rev 2.1 or later
--------------------------------	------------------

Infiniium DSO/DSA 90000 X-Series	Rev 3.0 or later
----------------------------------	------------------

Infiniium DSO/MSO 9000 Series	Rev 2.0 or later
-------------------------------	------------------

Infiniium DSO80000B Series	Rev 05.10 or later
----------------------------	--------------------

Infiniium DSO80000A Series	Rev 05.10 or later
----------------------------	--------------------

Infiniium 54850A Series	Rev 05.10 or later
-------------------------	--------------------

Infiniium 8000 Series DSOs/MSOs	Rev 05.10 or later
---------------------------------	--------------------

Infiniium 54830B/D Series	Rev 05.10 or later
---------------------------	--------------------

For software upgrade, visit <http://software.cos.agilent.com/Infiniium/>

MATLAB software environment

Required software revision*

(Sold separately by The MathWorks)	R14 Service Pack 1 or later
------------------------------------	-----------------------------


* It has been tested with R14 SP1, SP2, SP3, R2006a, R2006b, R2007a, and R2007b.

Ordering Information

Model	Description
N5430A	Infiniium user-defined function application
MATLAB	Contact The MathWorks at www.mathworks.com or see the MATLAB software data sheet, publication number 5990-3353EN
Instrument Control Toolbox	Contact The MathWorks at www.mathworks.com
Signal Processing Toolbox	Contact The MathWorks at www.mathworks.com

Related Literature

Publication title	Publication type	Publication number
<i>Infiniium DS090000 Series Oscilloscopes and InfiniiMax Series Probes</i>	Data sheet	5989-7819EN
<i>Infiniium 90000 X-Series Oscilloscopes</i>	Data sheet	5990-5271EN
<i>Infiniium 8000 Series Oscilloscopes</i>	Data sheet	5989-4271EN
<i>E2699A My Infiniium Integration Package for Infiniium Oscilloscopes</i>	Data sheet	5988-9934EN
<i>Infiniium 9000 Series Oscilloscopes</i>	Data sheet	5990-3746EN



Agilent Technologies Oscilloscopes

Multiple form factors from 20 MHz to >90 GHz | Industry leading specs | Powerful applications



Agilent Email Updates

www.agilent.com/find/emailupdates
Get the latest information on the products and applications you select.



Agilent Direct

www.agilent.com/find/agilentdirect
Quickly choose and use your test equipment solutions with confidence.

Agilent Channel Partners

www.agilent.com/find/channelpartners
Get the best of both worlds: Agilent's measurement expertise and product breadth, combined with channel partner convenience.



www.lxistandard.org
LXI is the LAN-based successor to GPIB, providing faster, more efficient connectivity. Agilent is a founding member of the LXI consortium.

Remove all doubt

Our repair and calibration services will get your equipment back to you, performing like new, when promised. You will get full value out of your Agilent equipment throughout its lifetime. Your equipment will be serviced by Agilent-trained technicians using the latest factory calibration procedures, automated repair diagnostics and genuine parts. You will always have the utmost confidence in your measurements.

Agilent offers a wide range of additional expert test and measurement services for your equipment, including initial start-up assistance, onsite education and training, as well as design, system integration, and project management.

For more information on repair and calibration services, go to:

www.agilent.com/find/removealldoubt

www.agilent.com

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

www.agilent.com/find/contactus

Americas

Canada	(877) 894-4414
Latin America	305 269 7500
United States	(800) 829-4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Thailand	1 800 226 008

Europe & Middle East

Austria	43 (0) 1 360 277 1571
Belgium	32 (0) 2 404 93 40
Denmark	45 70 13 15 15
Finland	358 (0) 10 855 2100
France	0825 010 700* *0.125 €/minute
Germany	49 (0) 7031 464 6333
Ireland	1890 924 204
Israel	972-3-9288-504/544
Italy	39 02 92 60 8484
Netherlands	31 (0) 20 547 2111
Spain	34 (91) 631 3300
Sweden	0200-88 22 55
Switzerland	0800 80 53 53
United Kingdom	44 (0) 118 9276201

Other European Countries:
www.agilent.com/find/contactus

Product specifications and descriptions in this document subject to change without notice.

October 1, 2009

© Agilent Technologies, Inc. 2010
Printed in USA, May 7, 2010
5989-5632EN



Agilent Technologies