

# Agilent Technologies E8047B Analysis Probe System for the Intel® Xeon™ Processor Family

## Product Overview

Requires an Agilent 16700A/B Series or  
16900A Series Logic Analysis System

The Agilent E8047B analysis probe system harnesses the power of the Agilent 16700A/B or 16900A Series logic analysis systems to greatly reduce your time to insight into critical Xeon processor family based system problems.

The analysis probe easily connects to your target system and allows you quickly begin making accurate measurements (See Figure 1).

The E8047B includes an analysis probe, a low-intrusion probe interface-adaptor (interposer) and configuration files that allow you to trace the operation of an Intel Xeon processor system. The probe interface adapter is also sold separately as the Agilent E8048B. The probe interface adapter supports the entire Xeon



**Figure 1. Intel Xeon processor analysis probe**

family of processors, so there is maximum leveragability between designs. The precision design of this instrument makes it possible for you to interchange the probe interface without any recalibration of the system.

### **Trace bus operation simply**

The Agilent E8047B analysis probe system simplifies tracing

the Xeon processor system bus by aligning the source-synchronous, quad-pumped data lines and double-pumped address lines with the Bclk frequency control signals. The Agilent analysis probe synchronizes the clock and aligns the data, so you need not be concerned that the Xeon processor system bus uses multiple clock domains.



### **Gain confidence in your data's integrity**

To achieve maximum performance, the Intel Xeon processor system bus implements complex data transfer schemes. Agilent's exclusive technology effectively deals with these challenges.

The Intel Xeon processor system bus architecture allows for extremely tight setup and hold specifications. Agilent's bipolar front-end acquisition technology is uniquely positioned to capture these tight data valid windows. Data integrity is crucial to validating the operation of your design. Agilent's experience in high-speed circuitry and tight acquisition electronics offers you confidence that you are looking at the correct information on your logic analyzer.

For added confidence, the E8047B analysis probe system has built-in calibrated accuracy, which also decreases the time it takes to set up your measurements.

### **Get greater visibility with pass-through mode**

Agilent's pass-through mode gives the analysis probe greater visibility to the original bus signal timing. Coupling pass-through mode with the superior 64 K samples of 4 GHz timing zoom on the Agilent 16753/54/55/56A and 16950A logic analysis modules offers the maximum practical sampling resolution for this system bus.

### **Flexible analysis capabilities**

The E8047B analysis probe system offers four mode selections:

- All mode
- Expanded mode
- Compacted mode
- Pass-through mode

These four modes allow you to pre-filter varying levels of bus activity out of the trace, so you can use the full 64 MSA acquisition depth of the 16753/54/55/56A and 16950A logic analyzers for target system debug. A software interface lets you switch seamlessly between the four analysis modes of the E8047B analysis probe, including switching between

analysis modes remotely. You don't need to be in the same room as the logic analyzer to enjoy full debug capability.

### **Combining solutions for tough problems**

Combining the power of Agilent's E8047B analysis probe system with other computer bus analysis probes yields a time-correlated view of your system that helps you solve problems faster. Agilent and its partners offer solutions for AGP2X, AGP4X, PCI, PCI-X, InfiniBand, DDR (all speeds), PC133, with solutions for PCI Express, PCI-X 2.0 and others. For more information, visit [www.agilent.com/find/logic\\_applications](http://www.agilent.com/find/logic_applications).



**Figure 2. Whole system measurements with DDR and other bus solutions**

### Transaction type display

The Agilent E8047B analysis probe system configuration software helps you quickly understand the transaction type. It uses plain language symbols to describe the transactions in the state listing display, so you can spend more time validating and debugging instead of wasting valuable time looking at reference documentation (Figure 3). This same feature in Agilent's state waveform display feature allows you to see the relationships of the various signal groupings (Figure 4).

### Clock qualification

Three modes of the logic analyzer allow for a view that is customized for your needs. All mode allows for an unfettered view of every clock realized on the system bus. Expanded mode captures all bus activity except idle states allowing full view of bus operation while preserving capture storage memory. Compacted mode maximizes logic analyzer memory by filtering consecutive states, data wait, and multiple reset states.

### Highlight critical transactions

Focus your analysis of the activities on the Intel Xeon bus by coloring those transactions that give you the best view of the problem. The filter and color options available in the E8047B enable you to selectively list and color transactions by agent and transaction type. For example, you can list only I/O writes originating from CPU 0. The filter dialog menu lets you use color to emphasize either transaction type or agent ID.




Figure 3. State listing display




Figure 4. State waveform display

# Probe Interface Adapter

## Inserting into target system




Figure 5. Removing the processor




Figure 6. Inserting the mechanical adapter




Figure 7. Inserting processor

# Probe Interface Adapter

## Mechanical dimensions





Figure 8. Mechanical dimensions

**Operating Characteristics**

Analysis probe	Agilent E8047B (includes probe interface adapter)
Processor package(s)	604-pin FC-PGA2 package 603-pin micro-PGA package 603-pin INT-mPGA package
Logic analysis system required	1 – Agilent 16900 or 16902 mainframe, or 16700 or 16702 mainframe 5 – Agilent 16753/54/55/56 logic analysis modules or 5 – Agilent 16950A* logic analyzer modules (*Compatible with 16900A Series only)
Clocking mode	State/clock – all mode (clock qualification off) State/clock – expanded mode State/clock – compacted mode Timing/pass-through mode

Signal line loading



Analysis probe cable length	Approximately 4 feet
Clock frequency	200 MHz maximum for external BCLK
Data bus strobes	Source-synchronous quad-pumped
Target system	Must comply with Intel Xeon processor
Power requirement	Internal power supply 115/230 V, 48 to 66 Hz, 500 W

**Environmental Characteristics**

Operating	20° to 30° C (68° to 86° F)
Nonoperating	-40° to 70° C (-40° to 158° F)
Altitude operating	Up to 4,600 m (15,000 ft)
Altitude nonoperating	15,300 m (50,000 ft)
Humidity	Up to 50% noncondensing (avoid sudden, extreme temperature changes that could cause condensation within the instrument)

### Agilent Technologies' Test and Measurement Support, Services, and Assistance

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Support is available for at least five years beyond the production life of the product. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

#### Our Promise

Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you receive your new Agilent equipment, we can help verify that it works properly and help with initial product operation.

#### Your Advantage

Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and on-site education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.



### Agilent Email Updates

[www.agilent.com/find/emailupdates](http://www.agilent.com/find/emailupdates)

Get the latest information on the products and applications you select.



### Agilent Direct

[www.agilent.com/find/agilentdirect](http://www.agilent.com/find/agilentdirect)

Quickly choose and use your test equipment solutions with confidence.

### Agilent T&M Software and Connectivity

Agilent's Test and Measurement software and connectivity products, solutions and developer network allows you to take time out of connecting your instruments to your computer with tools based on PC standards, so you can focus on your tasks, not on your connections. Visit [www.agilent.com/find/connectivity](http://www.agilent.com/find/connectivity) for more information.

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

[www.agilent.com/find/contactus](http://www.agilent.com/find/contactus)

#### Phone or Fax

##### United States:

(tel) 800 829 4444

(fax) 800 829 4433

##### Canada:

(tel) 877 894 4414

(fax) 800 746 4866

##### China:

(tel) 800 810 0189

(fax) 800 820 2816

##### Europe:

(tel) 31 20 547 2111

##### Japan:

(tel) (81) 426 56 7832

(fax) (81) 426 56 7840

##### Korea:

(tel) (080) 769 0800

(fax) (080) 769 0900

##### Latin America:

(tel) (305) 269 7500

##### Taiwan:

(tel) 0800 047 866

(fax) 0800 286 331

##### Other Asia Pacific Countries:

(tel) (65) 6375 8100

(fax) (65) 67556 0042

Email: [tm\\_ap@agilent.com](mailto:tm_ap@agilent.com)

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2004

Printed in USA August 30, 2004

5989-1551EN

