

Agilent E3660B 1.1 m Rack Cabinet (21U)


Data Sheet

House your Agilent test and measurement instruments efficiently, securely and attractively

The E3660B is a 1.1 m, quartz gray rack cabinet. It is preassembled, competitively priced and has many standard features.

Features

- Quartz gray color
- 21U EIA vertical rack space
- Vented, lockable rear door
- Removable side panels
- 13-gauge, cold-rolled welded steel columns
- Vented top
- Solid base
- Leveling screws
- Retractable anti-tip foot
- 4 Concealed lift hooks, Each hook can support 227 kg (500 lbs)
- One pair of system II rails
- 3-inch, heavy-duty casters
- Shipping cost included in price
- Ability to move and ship fully integrated up to 1,000 lbs
- Racks come fully assembled and ready for equipment installation



Specifications

- Material: Cold-rolled steel
- Weight: 138 kg (305 lbs)
- Color: Quartz gray
- Integrated Shipment Load Capacity: 454 kg (1000 lbs)
- Total Load Capacity: 816 kg (1800 lbs)
- Height: 1120 mm (44.1 in)
- Width: 600 mm (23.6 in)
- Depth: 905 mm (35.6 in)

Installation

This rack is delivered pre-assembled with all standard features.

Tools required for setup:

- T25 torx screwdriver, for removal of stabilizing shipping panels and rear door L-shaped slam guard.
- Adjustable wrench or 9/16 in crescent wrench, for removal of rack from the pallet.



Agilent Technologies

Standards

Conforms to the Electronic Industries Association (EIA) standard 310-D. It is a type A cabinet with 14U of vertical mounting space. One 'U' is equal to 44.45 mm (1.75 in).

What changed

Replaces: E3660A

- Color changed from parchment white to quartz gray

Related Options

- AW3 – Includes a factory installed 100–120V (North America) Power Distribution Unit
- AW5 – Includes a factory installed 200–240V (International) Power Distribution Unit

Optional Accessories

All accessories listed are the appropriate size and color for use with the E3660B.

- E4460B
1.1 m Plexiglas front door
- E4466B
1.1 m Tie kit
- J1519A
14 in-19 in Monitor rackmount kit
- J1518A
Retractable keyboard kit
- E7714A
Fixed keyboard kit
- E7723B
Cable guide
- E7797A
Mounting hardware
- E4470A
Fan, 100-120V
- E4471A
Fan, 200-240V
- E7731A
Filler panel, 1 EIA
- E7732A
Filler panel, 2 EIA
- E7733A
Filler panel, 3 EIA
- E7734A
Filler panel, 4 EIA
- E7735A
Filler panel, 5 EIA
- E7736A
Filler panel, 6 EIA
- E7737A
Filler panel, 7 EIA
- E4451A
PDU, 100-120V, N.A. with master power switch

- E4452A
PDU, 200-240V, N.A. with master power switch
- E4453A
PDU, 200-240V, International with master power switch
- E7685A
PDU Installation kit

Related Products

Other racks available are:



- E5920B –
.720 m, quartz gray rack
- E7590A –
1.3 m, quartz gray rack
- E3661B –
1.6 m, quartz gray rack
- E3662B –
2.0 m, quartz gray rack

Warranty

1 year. 5E Agilent/dealer, unit exchange, standard delivery.

Certifications

- Underwriters Laboratories Component Recognition for USA
- Component Certification for Canada



Agilent Technologies' Test and Measurement Support, Services, and Assistance

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Support is available for at least five years beyond the production life of the product. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

Our Promise

Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you use Agilent equipment, we can verify that it works properly, help with product operation, and provide basic measurement assistance for the use of specified capabilities, at no extra cost upon request. Many self-help tools are available.

Your Advantage

Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and on-site education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.

Refer to the Enclosures website for additional product information:

<http://enclosures.agilent.com>

For the latest information on Agilent's dc electronic loads, visit our web site at: www.agilent.com/find/loads

By internet, phone, or fax, get assistance with all your test & measurement needs

Online assistance:
www.agilent.com/find/assist

Phone or Fax

United States:

(tel) 1 800 452 4844

Canada:

(tel) 1 877 894 4414

(fax) (905) 282-6495

China:

(tel) 800-810-0189

(fax) 1-0800-650-0121

Europe:

(tel) (31 20) 547 2323

(fax) (31 20) 547 2390

Japan:

(tel) (81) 426 56 7832

(fax) (81) 426 56 7840

Korea:

(tel) (82-2) 2004-5004

(fax) (82-2) 2004-5115

Latin America:

(tel) (305) 269 7500

(fax) (305) 269 7599

Taiwan:

(tel) 080-004-7866

(fax) (886-2) 2545-6723

Other Asia Pacific Countries:

(tel) (65) 375-8100

(fax) (65) 836-0252

Email: tm_asia@agilent.com

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2001
Printed in USA December 16, 2001
5988-4713EN



Agilent Technologies