

# Agilent E4478B 2.0 m Solid Rear Door

## Data Sheet

### Secure rackmounted equipment

Rear doors are standard on all Agilent rack cabinets, except the bare rack option AXH. The solid rear door can be purchased for a bare rack or if the customer prefers the solid door over the vented door which comes standard with the rack.

### Features

- Can be installed to hinge on either the right or the left side for maximum flexibility
- Solid sheet metal construction
- Attractive quartz gray color
- Easy installation
- All mounting hardware included

### Specifications

- Material: Cold-rolled steel
- Weight: 21.3 kg (47 lbs)
- Color: Quartz gray
- Height: 1852.7 mm (72.9 in)
- Width: 599 mm (23.6 in)

### Installation

Attach the door hinge to the rear rack column at the location of the pre-mounted nuts. Align the upper and lower hinge pins above the opening in the hinges and insert into place. Secure the latch catch with provided hardware.

Tools required for installation:

- Torx T25 screwdriver

### What you get in the box

- Solid rear door
- 1 Latch catch
- Mounting hardware
- Installation instructions

### What changed

Replaces: E4478A

- Color changed from parchment white to quartz gray

### Compatibility

The E4478B can be used with:

- E3662B – Agilent 1.6 m rack


### Related Products

Other door sizes are available:

- E4476B – Agilent 1.6 m solid rear door
- E4477B – Agilent 1.6 m vented rear door
- E4479B – Agilent 2.0 m vented rear door

### Warranty

Three year replacement



Both solid and vented doors shown



Agilent Technologies

### **Agilent Technologies' Test and Measurement Support, Services, and Assistance**

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Support is available for at least five years beyond the production life of the product. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

#### **Our Promise**

Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you use Agilent equipment, we can verify that it works properly, help with product operation, and provide basic measurement assistance for the use of specified capabilities, at no extra cost upon request. Many self-help tools are available.

#### **Your Advantage**

Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and on-site education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.

Refer to the Enclosures website for additional product information:

<http://enclosures.agilent.com>

For the latest information on Agilent's dc electronic loads, visit our web site at: [www.agilent.com/find/loads](http://www.agilent.com/find/loads)

By internet, phone, or fax, get assistance with all your test & measurement needs

Online assistance:  
[www.agilent.com/find/assist](http://www.agilent.com/find/assist)

#### **Phone or Fax**

##### **United States:**

(tel) 1 800 452 4844

##### **Canada:**

(tel) 1 877 894 4414

(fax) (905) 282-6495

##### **China:**

(tel) 800-810-0189

(fax) 1-0800-650-0121

##### **Europe:**

(tel) (31 20) 547 2323

(fax) (31 20) 547 2390

##### **Japan:**

(tel) (81) 426 56 7832

(fax) (81) 426 56 7840

##### **Korea:**

(tel) (82-2) 2004-5004

(fax) (82-2) 2004-5115

##### **Latin America:**

(tel) (305) 269 7500

(fax) (305) 269 7599

##### **Taiwan:**

(tel) 080-004-7866

(fax) (886-2) 2545-6723

##### **Other Asia Pacific Countries:**

(tel) (65) 375-8100

(fax) (65) 836-0252

Email: [tm\\_asia@agilent.com](mailto:tm_asia@agilent.com)

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2001  
Printed in USA December 16, 2001  
5988-4721EN



**Agilent Technologies**