

Agilent E2050B LAN/GPIB Gateway

Data Sheet

- **Low-cost access to GPIB instrumentation via LAN**
- **Allows longer distance between controller and instruments**
- **Resource sharing—people and instruments**
- **Leverage your existing network and systems**
- **Distributed control of GPIB instruments**
- **Improved I/O throughput to maximize your system performance**

Description

The Agilent Technologies LAN/GPIB Gateway provides **low-cost access to GPIB instrumentation over an existing LAN**. It allows the use of SICL- or VISA-based applications designed for GPIB over the LAN without modifying the application beyond a simple address change.

The gateway is a combination of hardware and SICL/VISA software. It uses client/server technology to extend the standard SICL/VISA functions to control GPIB instrumentation located remotely on the LAN. This gives you the opportunity to put your controller at an alternative, more convenient, or safer location. Therefore, you can go through the gateway instead of a GPIB interface card.

Refer to the Agilent Technologies Website for instrument driver availability and downloading instructions, as well as for recent product updates, if applicable.

Gateway Connection

To provide this gateway separation, the test application becomes a client and the instrumentation becomes a server. The connection between client and server is through the TCP/IP protocols already present in your controller and provided in the LAN/GPIB Gateway. The client side of the system performs the user interface, graphics, report generation, and data analysis functions. The server side provides the access and control of the test instrumentation.



Agilent E2050B



The SICL/VISA software lets you control instrumentation over the LAN using standard SICL/VISA functions. Use your existing SICL- or VISA-based applications with the LAN/GPIB Gateway by simply changing the address. By using the standard LAN capabilities included on many PCs and workstations, instrument control can be driven from a computer that does not (or cannot) have a special interface for instrument control. The LAN/GPIB Gateway is the link between the LAN that your computer understands and the instrument-specific GPIB interface that your instrument understands. Agilent VEE with SICL/VISA provides an excellent environment for using the E2050B.

Product Specifications


Interface Characteristics

Operating system:	HP-UX 9.X, 10.01, 10.20 Windows® 95/98/NT®/2000/Me
Controller:	Series 700* PC* *(external or embedded)
I/O library:	SICL/VISA
Backplane:	n/a
Max. I/O speed:	n/a
Buffering:	None
Languages:	Agilent VEE C/C++ BASIC/UX

Ordering Information

Description	Product No.	
LAN/GPIB Gateway	E2050B	BUY OnLine
HP-UX Operating System	E2050B AG1	
Windows 95/NT/2000/Me	E2050B AG6	
Rack Mount Kit for LAN/GPIB Gateway	E2051A	

Microsoft®, Windows®, MS Windows® and Windows NT®, are U.S. registered trademarks of Microsoft Corporation.



Agilent Technologies' Test and Measurement Support, Services, and Assistance

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Support is available for at least five years beyond the production life of the product. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

Our Promise

Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you use Agilent equipment, we can verify that it works properly, help with product operation, and provide basic measurement assistance for the use of specified capabilities, at no extra cost upon request. Many self-help tools are available.

Your Advantage

Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and on-site education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.

By internet, phone, or fax, get assistance with all your test & measurement needs.

Online assistance:

www.agilent.com/find/assist

Phone or Fax

United States:
(tel) 1 800 452 4844

Canada:
(tel) 1 877 894 4414
(fax) (905) 282 6495

China:
(tel) 800-810-0189
(fax) 1-0800-650-0121

Europe:
(tel) (31 20) 547 2323
(fax) (31 20) 547 2390

Japan:
(tel) (81) 426 56 7832
(fax) (81) 426 56 7840

Korea:
(tel) (82-2) 2004-5004
(fax) (82-2) 2004-5115

Latin America:
(tel) (305) 269 7500
(fax) (305) 269 7599

Taiwan:
(tel) 080-004-7866
(fax) (886-2) 2545-6723

Other Asia Pacific Countries:
(tel) (65) 375-8100
(fax) (65) 836-0252
Email: tm_asia@agilent.com

Product specifications and descriptions in this document subject to change without notice.

Copyright © 2001 Agilent Technologies, Inc.
Printed in USA July 1, 2001
Publication No.: 5965-5519E



Agilent Technologies