

# Miniature Steel Alligator Clip, 5 Amp

## Features

- Nickel Plated
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description                    |
|--------------|--------------------------------|
| 72-123       | Miniature Steel Alligator Clip |



# Miniature Solid Copper Alligator Clip, 5 Amp

## Features

- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description                           |
|--------------|---------------------------------------|
| 72-125       | Miniature Solid Copper Alligator Clip |



# PVC Insulator

## Features

- Fits 72-123 & 72-125
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.220" (30.9mm)

| NTE Type No. | Description                               |
|--------------|---|
| 72-128-0     | PVC Insulator for 72-123 & 72-125, Black  |
| 72-128-2     | PVC Insulator for 72-123 & 72-125, Red    |
| 72-128-4     | PVC Insulator for 72-123 & 72-125, Yellow |
| 72-128-5     | PVC Insulator for 72-123 & 72-125, Green  |
| 72-128-6     | PVC Insulator for 72-123 & 72-125, Blue   |
| 72-128-9     | PVC Insulator for 72-123 & 72-125, White  |




# 72-123 Series Kits

## Features

- 5 Amp Nickel Plated Miniature Alligator Clip
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains  |
|--------------|---|
| 72-123-KIT1  | 1 Pair of 72-123 Nickel Plated Mini Alligator Clips<br>1 Pair of 72-128-0 Black Insulators                      |
| 72-123-KIT2  | 1 Pair of 72-123 Nickel Plated Mini Alligator Clips<br>1 Pair of 72-128-2 Red Insulators                        |
| 72-123-KIT3  | 1 Pair of 72-123 Nickel Plated Mini Alligator Clips<br>1 Each of 72-128-0 (Black) and 72-128-2 (Red) Insulators |




# 72-125 Series Kits

## Features

- 5 Amp Solid Copper Miniature Alligator Clip
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-125-KIT1  | 1 Pair of 72-125 Solid Copper Mini Alligator Clips<br>1 Pair of 72-128-0 Black Insulators                      |
| 72-125-KIT2  | 1 Pair of 72-125 Solid Copper Mini Alligator Clips<br>1 Pair of 72-128-2 Red Insulators                        |
| 72-125-KIT3  | 1 Pair of 72-125 Solid Copper Mini Alligator Clips<br>1 Each of 72-128-0 (Black) and 72-128-2 (Red) Insulators |



## Mini Steel Alligator Clip w/Barrel, 5 Amp

## Features

- Nickel Plated
- Crimp or Solder Connection Barrel Tail
- Overall Length: 1.250" (31.7mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description                                |
|--------------|--|
| 72-124       | Miniature Steel Alligator Clip with Barrel |



## PVC Insulator

## Features

- Fits 72-124 & 72-126
- Flexible PVC Composition
- Overall Length: 1.600" (42.9mm)

| NTE Type No. | Description                                      |
|--------------|--|
| 72-127-0     | PVC Insulator for 72-124 & 72-126 Series, Black  |
| 72-127-2     | PVC Insulator for 72-124 & 72-126 Series, Red    |
| 72-127-4     | PVC Insulator for 72-124 & 72-126 Series, Yellow |
| 72-127-5     | PVC Insulator for 72-124 & 72-126 Series, Green  |
| 72-127-6     | PVC Insulator for 72-124 & 72-126 Series, Blue   |
| 72-127-9     | PVC Insulator for 72-124 & 72-126 Series, White  |



## 72-124 Series Kits

## Features

- 5 Amp Steel Miniature Alligator Clip with Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-124-KIT   | 4 Pcs of 72-124 Mini Steel Alligator Clips w/Barrel<br>2 Each of 72-127-0 (Black) and 72-127-2 (Red) Insulators  |
| 72-124-KIT1  | 1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel<br>1 Pair of 72-127-0 Black Insulators                      |
| 72-124-KIT2  | 1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel<br>1 Pair of 72-127-2 Red Insulators                        |
| 72-124-KIT3  | 1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel<br>1 Each of 72-127-0 (Black) and 72-127-2 (Red) Insulators |



# Mini Steel Alligator Clip w/Threaded Barrel, 5 Amp

## Features

- Nickel Plated
- 6-32 UNC Threaded Barrel Connection
- Overall Length: 1.500" (38.1mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description   |
|--------------|---|
| 72-126       | Miniature Steel Alligator Clip with Threaded Barrel |



# Toothless Steel Alligator Clip, 5 Amp

## Features

- Smooth Micro Tipped Jaws
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .220" (5.58mm)

| NTE Type No. | Description                    |
|--------------|--------------------------------|
| 72-129       | Toothless Steel Alligator Clip |



## 72-129 Series Kit

## Features

- 5 Amp Toothless Steel Alligator Clip
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-129-KIT   | 2 Pair of 72-129 Toothless Steel Alligator Clips<br>2 Pieces of 72-131-0 Black Insulators<br>2 Pieces of 72-131-2 Red Insulators |



# Toothless Solid Copper Alligator Clip, 5 Amp

## Features

- Smooth Micro Tipped Jaws
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .220" (5.58mm)

| NTE Type No. | Description                           |
|--------------|---------------------------------------|
| 72-130       | Toothless Solid Copper Alligator Clip |



## 72-130 Series Kit

## Features

- 5 Amp Toothless Solid Copper Alligator Clip
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains  |
|--------------|---|
| 72-130-KIT   | 2 Pair of 72-130 Toothless Solid Copper Alligator Clips<br>2 Pieces of 72-131-0 Black Insulators<br>2 Pieces of 72-131-2 Red Insulators |



# PVC Insulator

## Features

- Fits 72-129 & 72-130
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.250" (31.7mm)

| NTE Type No. | Description                               |
|--------------|---|
| 72-131-0     | PVC Insulator for 72-129 & 72-130, Black  |
| 72-131-2     | PVC Insulator for 72-129 & 72-130, Red    |
| 72-131-4     | PVC Insulator for 72-129 & 72-130, Yellow |
| 72-131-5     | PVC Insulator for 72-129 & 72-130, Green  |
| 72-131-6     | PVC Insulator for 72-129 & 72-130, Blue   |
| 72-131-9     | PVC Insulator for 72-129 & 72-130, White  |



# Steel Alligator Clip w/Barrel, 10 Amp

## Features

- Nickel Plated
- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                      |
|--------------|----------------------------------|
| 72-148       | Steel Alligator Clip with Barrel |



# Solid Copper Alligator Clip w/Barrel, 10 Amp

## Features

- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                             |
|--------------|---|
| 72-149       | Solid Copper Alligator Clip with Barrel |




# 72-149 Series Kit

## Features

- 10 Amp Solid Copper Alligator Clip w/Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains  |
|--------------|---|
| 72-149-KIT   | 2 Pair of 72-149 Solid Copper Alligator Clips<br>2 Pieces of 72-157-0 Black Insulators<br>2 Pieces of 72-157-2 Red Insulators |



# Steel Alligator Clip w/Barrel & Screw, 10 Amp

## Features

- Nickel Plated
- Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                              |
|--------------|--|
| 72-153       | Steel Alligator Clip with Barrel & Screw |



## 72-153 Series Kit

## Features

- 10 Amp Steel Alligator Clip w/Barrel & Screw
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-153-KIT   | 2 Pair of 72-153 Steel Alligator Clips<br>2 Pieces of 72-157-0 Black Insulators<br>2 Pieces of 72-157-2 Red Insulators |



# Solid Copper Alligator Clip w/Barrel & Screw, 10 Amp

## Features

- Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                                     |
|--------------|---|
| 72-151       | Solid Copper Alligator Clip with Barrel & Screw |



## 72-151 Series Kit

## Features

- 10 Amp Solid Copper Alligator Clip w/Barrel & Screw
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains  |
|--------------|---|
| 72-151-KIT   | 2 Pair of 72-151 Solid Copper Alligator Clips<br>2 Pieces of 72-157-0 Black Insulators<br>2 Pieces of 72-157-2 Red Insulators |



# Steel Alligator Clip w/Threaded Barrel, 10 Amp

## Features

- Nickel Plated
- 8-32 UNC Threaded Barrel Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                               |
|--------------|---|
| 72-154       | Steel Alligator Clip with Threaded Barrel |



# 72-154 Series Kit

## Features

- 10 Amp Steel Alligator Clip w/Threaded Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-154-KIT   | 2 Pair of 72-154 Steel Alligator Clips<br>2 Pieces of 72-157-0 Black Insulators<br>2 Pieces of 72-157-2 Red Insulators |



## Stainless Steel Alligator Clip w/Barrel, 10 Amp

## Features

- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                                |
|--------------|--|
| 72-156       | Stainless Steel Alligator Clip with Barrel |



# 72-156 Series Kit

## Features

- 10 Amp Stainless Steel Alligator Clip w/Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-156-KIT   | 2 Pair of 72-156 Stainless Steel Alligator Clips<br>2 Pieces of 72-157-0 Black Insulators<br>2 Pieces of 72-157-2 Red Insulators |



## Steel Alligator Clip w/U-Shaped Tail, 10 Amp

## Features

- Nickel Plated Clip
- Crimp/Solder Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                             |
|--------------|---|
| 72-155       | Steel Alligator Clip with U-Shaped Tail |



# 72-155 Series Kit

## Features

- 10 Amp Steel Alligator Clip w/U-Shaped Tail
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-155-KIT   | 2 Pair of 72-155 Steel Alligator Clips<br>2 Pieces of 72-157-0 Black Insulators<br>2 Pieces of 72-157-2 Red Insulators |





# PVC Insulator

## Features

- Fits 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181
- Flexible PVC Composition
- Overall Length: 2.000" (50.8mm)

| NTE Type No. | Description   |
|--------------|---|
| 72-157-0     | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Black  |
| 72-157-2     | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Red    |
| 72-157-4     | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Yellow |
| 72-157-5     | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Green  |
| 72-157-6     | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Blue   |
| 72-157-9     | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, White  |



## 72-148 Series Kits

## Features

- 10 Amp Alligator Clip with Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-148-KIT1  | 1 Pair of 72-148 Steel Alligator Clips<br>1 Pair of 72-157-0 Black Insulators                      |
| 72-148-KIT2  | 1 Pair of 72-148 Steel Alligator Clips<br>1 Pair of 72-157-2 Red Insulators                        |
| 72-148-KIT3  | 1 Pair of 72-148 Steel Alligator Clips<br>1 Each of 72-157-0 (Black) and 72-157-2 (Red) Insulators |



## Steel Alligator Clip w/Barrel, Screw & Handle, 10 Amp

## Features

- Nickel Plated Clip with Insulated Handle
- Banana Plug or Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description  |
|--------------|--|
| 72-152-0     | Steel Alligator Clip with Barrel, Screw and Black Insulated Handle |
| 72-152-2     | Steel Alligator Clip with Barrel, Screw and Red Insulated Handle   |
| 72-152-KIT   | 2 Each of 72-152-0 (Black) & 72-152-2 (Red)                        |




# Solid Copper Alligator Clip w/Barrel, Screw & Handle, 10 Amp

## Features

- Solid Copper Clip with Insulated Handle
- Banana Plug or Screw Connection
- Overall Length: 2.344" (59.53mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description  |
|--------------|--|
| 72-150-0     | Solid Copper Alligator Clip with Barrel, Screw and Black Insulated Handle  |
| 72-150-2     | Solid Copper Alligator Clip with Barrel, Screw and Red Insulated Handle    |
| NEW 72-150-4 | Solid Copper Alligator Clip with Barrel, Screw and Yellow Insulated Handle |
| NEW 72-150-5 | Solid Copper Alligator Clip with Barrel, Screw and Green Insulated Handle  |
| NEW 72-150-6 | Solid Copper Alligator Clip with Barrel, Screw and Blue Insulated Handle   |
| NEW 72-150-9 | Solid Copper Alligator Clip with Barrel, Screw and White Insulated Handle  |
| 72-150-KIT   | 2 Each of 72-150-0 (Black) & 72-150-2 (Red)                                |



# Steel Alligator Clip, Insulated, 10 Amp

## Features

- Nickel Plated Clip
- Includes Skin Tight Insulation
- Banana Plug or Screw Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description   |
|--------------|---|
| 72-158-0     | Steel Alligator Clip w/Skin Tight Insulation, Black |
| 72-158-2     | Steel Alligator Clip w/Skin Tight Insulation, Red   |
| 72-158-KIT   | 2 Each of 72-158-0 (Black) & 72-158-2 (Red)         |



# Steel Alligator Clip, 5 Amp

## Features

- Nickel Plated Clip
- Crimp/Solder Connection
- Overall Length: 1.690" (42.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description          |
|--------------|----------------------|
| 72-159       | Steel Alligator Clip |





# Solid Copper Alligator Clip, 10 Amp

## Features

- Crimp/Solder Connection
- Overall Length: 1.690" (42.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description                 |
|--------------|-----------------------------|
| 72-160       | Solid Copper Alligator Clip |



# PVC Insulator

## Features

- Fits 72-159 & 72-160
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.800" (45.7mm)

| NTE Type No. | Description                               |
|--------------|---|
| 72-161-0     | PVC Insulator for 72-159 & 72-160, Black  |
| 72-161-2     | PVC Insulator for 72-159 & 72-160, Red    |
| 72-161-4     | PVC Insulator for 72-159 & 72-160, Yellow |
| 72-161-5     | PVC Insulator for 72-159 & 72-160, Green  |
| 72-161-6     | PVC Insulator for 72-159 & 72-160, Blue   |
| 72-161-9     | PVC Insulator for 72-159 & 72-160, White  |



# 72-159 Series Kits

## Features

- 5 Amp Steel Alligator Clip
- Skin Tight Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-159-KIT1  | 1 Pair of 72-159 Steel Alligator Clips<br>1 Pair of 72-161-0 Black Insulators                      |
| 72-159-KIT2  | 1 Pair of 72-159 Steel Alligator Clips<br>1 Pair of 72-161-2 Red Insulators                        |
| 72-159-KIT3  | 1 Pair of 72-159 Steel Alligator Clips<br>1 Each of 72-161-0 (Black) and 72-161-2 (Red) Insulators |



# 72-160 Series Kits

## Features

- 10 Amp Solid Copper Alligator Clip
- Skin Tight Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains  |
|--------------|---|
| 72-160-KIT1  | 1 Pair of 72-160 Solid Copper Alligator Clips<br>1 Pair of 72-161-0 Black Insulators                      |
| 72-160-KIT2  | 1 Pair of 72-160 Solid Copper Alligator Clips<br>1 Pair of 72-161-2 Red Insulators                        |
| 72-160-KIT3  | 1 Pair of 72-160 Solid Copper Alligator Clips<br>1 Each of 72-161-0 (Black) and 72-161-2 (Red) Insulators |




# Telecom Clip, Bed of Nails & Single Spike Combo

## Features

- Nickel-Silver Jaw Material
- Ideal for Telecom Applications
- Crimp or Solder Connection
- Overall Length: 2.600" (66.0mm)
- Jaw Opening: 1.000" (25.4mm)

| NTE Type No. | Description  |
|--------------|--|
| 72-167       | Insulator-Piercing Alligator Clip, Mitten Style, with Hardware |
| 72-168       | Insulator-Piercing Alligator Clip, Mitten Style                |



## 72-168 Series Kit

## Features

- Telecom Clip, Bed of Nails & Single Spike Combo
- Skin Tight Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-168-KIT   | 1 Pair of 72-168 Insulation-Piercing Alligator Clips<br>1 Each of 72-166-0 (Black) and 72-166-2 (Red) Insulators |



## Mitten Style PVC Insulator

## Features

- Fits 72-167 & 72-168
- Flexible PVC Composition
- Overall Length: 2.600" (66.0mm)

| NTE Type No. | Description                               |
|--------------|---|
| 72-166-0     | PVC Insulator for 72-167 & 72-168, Black  |
| 72-166-2     | PVC Insulator for 72-167 & 72-168, Red    |
| 72-166-4     | PVC Insulator for 72-167 & 72-168, Yellow |
| 72-166-5     | PVC Insulator for 72-167 & 72-168, Green  |
| 72-166-6     | PVC Insulator for 72-167 & 72-168, Blue   |
| 72-166-9     | PVC Insulator for 72-167 & 72-168, White  |




# Telecom Clip, Bed of Nails & Single Spike Combo

## Features

- Nickel-Silver Jaw Material
- Ideal for Telecom Applications
- Crimp or Solder Connection
- Overall Length: 2.600" (66.0mm)
- Jaw Opening: 1.000" (25.4mm)

| NTE Type No. | Description                                    |
|--------------|--|
| 72-096       | Insulator-Piercing Alligator Clip, Glove Style |



# Glove Style Insulator for 72-096 Series

## Features

- Flexible TPE Composition
- Overall Length: 2.000" (50.8mm)

| NTE Type No. | Description                                 |
|--------------|---|
| 72-099B      | TPE Insulator for 72-096 Series Clip, Black |
| 72-099R      | TPE Insulator for 72-096 Series Clip, Red   |



# 72-096 Series Kit

## Features

- Telecom Clip, Bed of Nails & Single Spike Combo
- Skin Tight Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains   |
|--------------|--|
| 72-096-KIT   | 1 Pair of 72-096 Insulation-Piercing Alligator Clips<br>1 Each of 72-099B (Black) and 72-099R (Red) Insulators |



# Steel Alligator Clip, Fang Tooth w/Barrel

## Features

- Nickel Plated Clip
- Crimp/Solder or Banana Plug Connection
- Grips Both Fine and Thick Conductors
- Overall Length: 1.920" (48.7mm)
- Jaw Opening: .390" (9.9mm)

| NTE Type No. | Description                                  |
|--------------|--|
| 72-098       | Steel Alligator Clip, Fang Tooth with Barrel |



# Phone Tip Steel Alligator Clip, 10 Amp

## Features

- Nickel Plated Clip
- Accepts Standard Phone Tip or Test Probe Tip
- Overall Length: 1.970" (50mm)
- Jaw Opening: .310" (7.9mm)

| NTE Type No. | Description                    |
|--------------|--------------------------------|
| 72-181       | Phone Tip Steel Alligator Clip |



# Steel Alligator Clip w/Insulated Handle, 10 Amp

## Features

- Nickel Plated Clip
- Tenite Acetate Insulated Handle
- Overall Length: 2.234" (56.75mm)
- Jaw Opening: .310" (7.87mm)



| NTE Type No. | Description                                      |
|--------------|--|
| 72-185-0     | Steel Alligator Clip with Black Insulated Handle |
| 72-185-2     | Steel Alligator Clip with Red Insulated Handle   |

NEW  
NEW

# Steel Alligator Clip w/Screw, 5 Amp

## Features

- Nickel Plated Clip
- 6-40 Screw or Crimp Connection
- Overall Length: 1.690" (42.86mm)
- Jaw Opening: .310" (7.9mm)



| NTE Type No. | Description                     |
|--------------|---------------------------------|
| 72-186       | Steel Alligator Clip with Screw |

NEW

# Solid Copper Alligator Clip w/Screw, 10 Amp

## Features

- 6-40 Screw or Crimp Connection
- Overall Length: 1.690" (42.86mm)
- Jaw Opening: .310" (7.9mm)



| NTE Type No. | Description                            |
|--------------|--|
| 72-187       | Solid Copper Alligator Clip with Screw |

NEW

# Solid Copper Alligator Clip w/Screw & Insulator, 10 Amp

## Features

- Includes a Skin-Tight, Two Piece, Flexible PVC Insulator
- Compatible with All Shrouded, Unshrouded, or Retractable 4mm Banana Plugs
- 6-40 Screw or Crimp Connection
- Overall Length: 1.970" (50mm)
- Jaw Opening: .310" (7.9mm)

| NTE Type No. | Description  |
|--------------|--|
| 72-188-0     | Solid Copper Alligator Clip w/Screw and Black Insulator  |
| 72-188-2     | Solid Copper Alligator Clip w/Screw and Red Insulator    |
| 72-188-4     | Solid Copper Alligator Clip w/Screw and Yellow Insulator |
| 72-188-5     | Solid Copper Alligator Clip w/Screw and Green Insulator  |
| 72-188-6     | Solid Copper Alligator Clip w/Screw and Blue Insulator   |
| 72-188-9     | Solid Copper Alligator Clip w/Screw and White Insulator  |



NEW  
NEW  
NEW  
NEW  
NEW  
NEW