MPC175-851-FL

17" TFT Fanless Super Slim Medical Grade Panel Computer Supporting Intel® Core™2 Duo Processor up to 2.26 GHz





6. COM 1 (RS-232/422/485)

9. Audio (Line-out/Mic-in)

- 1. Brightness adjust buttons
- 2. Volume adjust buttons
- 3. Power LED 4. MIC





5. Speaker (R)

7. Ethernet x 2

8. USB 2.0 x 2













10. VGA

11. Power connector

12. Power switch

13. PCI or PCIe slot

14. Speaker (L)

Introduction

The MPC175-851-FL is a 17-inch slim TFT fanless medical grade panel computer, which is well-suited for applications like medical image processing and medical measuring instrument. Especially designed for the medical environment, it adopts IPX1 waterproof design which protects the entire system from outside liquid, preventing system from crashing. Powered by socket P Intel® Core™2 Duo processor and PCI expansion slot, the MPC-175-851-FL is definitely the best choice for your medical panel computer.


This platform complies with UL60601-1/EN60601-1, CE, FCC Class B certifications to ensure medical operation safety. It is outfitted with 17-inch SXGA TFT LCD display. Additionally, the MPC175-851-FL offers flexible CPU selection with socket type which reduces cost, increases convenience over onboard CPU, and still maintains a fanless operation and long product life cycle. For expansion capability, the unit supports one PCI or PCIe x4 slot for video capture card, data acquisition card and more. The built-in 1.3 mega pixels camera, microphone and stereo speakers allow medical professionals to execute remote operation. Bluetooth is an available option for wireless connection with medical peripheral devices. Optional WiFi (802.11 b/g) allows wireless real-time connection of patient record for assessment. To improve patient treatment accuracy, the optional RFID (radio frequency identification) offers an efficient way to validate patient identification and give proper treatment.

Features

- 17" high brightness (380 nits) SXGA TFT LCD
- Fanless socket P Intel[®] Core[™]2 Duo or Intel[®] Celeron[®] M
- UL60601-1/EN60601-1, CE & FCC class B certified
- Water/dust-proof design (front bezel: IP65, full enclosure:
- Optional Super Multi drive (for MPC175-851-FL-AC-DVDRW)
- 1 PCI or PCIe x4 expansion slot (for MPC175-851-FL-AC-PCI or MPC175-851-FL-AC-PCle)
- Optional Bluetooth/RFID reader
- Built-in 1.3 mega pixels camera
- Optional internal wireless (802.11 b/g) antenna







Specifications

Front Bezel	Plastic ABS		
LCD Panel	Display Type	17" SXGA TFT	
	Brightness (cd/m²)	380 nits	
	Resolution	1280 x 1024	
	Viewing Angle (H/V)	160°/160°	
Main System	CPU	Fanless socket P Intel® Core™2 Duo or Intel® Celeron® M processor	
	Chipset	Intel® GM45 + ICH9M	
	System Memory	2 x DDR3 SO-DIMM memory max. up to 8 GB	
	BIOS	AMI BIOS with SmartView and customer CMOS backup	
	Storage	1 x 2.5" SATA HDD 1 x CompactFlash™	
	Optional Drive	1 x compact Super Multi drive (for MPC175-851-FL-AC-DVDRW)	
	Watchdog Timer	255 levels, 0~255 sec.	
	Onboard Graphics	Intel® GM45	

Specifications

I/O Connector	1 x RS-232/422/485 (COM 1)		
	2 x USB 2.0		
	1 x Audio (Mic-in/Line-out)		
	2 x 10/100/1000Mbps Ethernet		
	1 x VGA		
Expansion Interface	1 x PCI or PCIe x4 slot		
	(for MPC175-851-FL-AC-PCI or MPC175-851-FL-AC-PCIe)		
Camera	1 x 1.3 mega pixels camera		
Touchscreen	Resistive type		
	Light transmission: 80%		
	Touch life 35 million touches		
Power Supply	External 24VDC with AC/DC medical grade power adapter		
Dimensions	438 mm (17.24") (W) x 76.5 mm (3.01") (D)		
	x 376.4 mm (14.81") (H)		
Packing Dimensions	610 mm (24.02") (W) x 260 mm (10.24") (D)		
	x 590 mm (23.23") (H)		
Weight (net/gross)	7.65 kg (16.85 lb)/9 kg (19.84 lb)		
Environment	Operating temperature: 0° ~ +40°C (32°F ~ 104°F)		
	Storage Temperature: -20°C ~ +60°C (-4°F ~ +140°F)		
	Relative humidity: 10% ~ 95%, non-condensing		
Certification	CE, FCC class B, EN60601-1, UL60601-1		
Certification	CE, FCC class B, EN60601-1, UL60601-1		

Ordering Information

17" TFT fanless medical grade panel computer with resistive T/S and slim Super Multi drive
17" TFT fanless medical grade panel computer with resistive T/S and PCI expansion (w/o Super Multi)
17" TFT fanless medical grade panel computer with resistive T/S and PCle x4 expansion (w/o Super Multi)

^{*} Specification and certifications are based on options and may vary.

Optional Accessories

E202003330	VM-101 VESA ARM (clamp type)	
E202003329	VM-105 VESA ARM (wall mount type)	
E228170100	17" stand kit	

Optional OS Installation

Windows® XP		
Windows® 7		
Linux kernel 2.6		

Overview

Industrial Panel Computers & Monitors

Heavy-duty Fanless Touch Panel Computers

Digital Signage Solutions

Healthcare & Medical Solutions

Open Frame Panel Computers


Accessories





▲ Stand kit

Dimensions



^{*} All specifications and photos are subject to change without notice. © 2013 Axiomtek Co., Ltd. All rights reserved.

^{**}Super Multi drive includes DVD-R, DVD-RW and DVD-RAM.