

REV	ECN. NO.	APP	DATE
A	EDIÇÃO INICIAL		
B	NOVO CÓDIGO		

Material:

1. Insulator: PBT+30% Glass Fiber(Meet UL94V-0).
2. Contact: Copper Alloy.
3. Contact Plated: Gold or Tin over Nickel Plated.

Specification:

1. Current Rating: 1 Amp.
2. Withstanding Voltage: AC 500V for 1 Minute.
3. Insulation Resistance: 1000MΩ Min. at DC 500V.
4. Contact Resistance: 15mΩ Max..
5. Operating Temperature: -40°C~+105°C.

**HOW TO ORDER:
3025IDC[][][EAR]R
1 2 3**

1- Nr. of Ways
10 to 64

3- Body option:
(EAR)-With Ear
()-W/O Ear

2- Terminal Plating:
(E)-Sn
(D)-FLASH Au
(F)-0,38um Au
(G)-0,76um Au
(C)-0,38um Au/Sn
(H)-0,76um Au/Sn

No. of Contacts	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E
10	27.80	23.00	18.00	10.16	11.43
14	32.88	28.08	23.08	15.24	16.51
16	35.42	60.62	25.62	17.78	19.05
20	40.50	35.70	30.70	22.86	24.13
24	45.58	40.78	35.78	27.94	29.21
26	48.12	43.32	38.32	30.48	31.75






No. of Contacts	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E
30	53.20	48.40	43.40	35.56	36.83
34	58.28	53.48	48.48	40.64	41.91
40	65.90	61.10	56.10	48.26	49.53
50	78.60	73.80	68.80	60.96	62.23
60	91.30	86.50	81.50	73.66	74.93
64	96.38	91.58	86.58	78.74	80.01



MATRIX TECNOLOGIA IND. E COM. LTDA.

UNIT	SCALE	TITLE	DATE
mm		2.54mm IDC Box Header With Ear Type	DECEMBER 2009
TOLERANCE: ±0.25			APP. BY
		MATL	CHK. BY
		DWG. NO.	DR. BY Felipe

REV	ECN. NO.	APP	DATE
A	EDIÇÃO INICIAL		
B	NOVO CÓDIGO		



Material:

Insulator: PBT+30% Glass Fiber (UL94V-0).

Contact: Copper Alloy.

Contact Plated: Gold or Tin over Nickel Plated.

Specification:

Current Rating: 1 Amp.

Withstanding Voltage: AC 500V for 1 Minute.

Insulation Resistance: 1000MΩ Min. at DC 500V.

Contact Resistance: 15mΩ Max..

Operating Temperature: -40°C ~ +105°C.

HOW TO ORDER: 3025IDC[][][]R

1 2 3

1- Nr. of Ways
10 to 64

3- Body option:
(EAR)-With Ear
()-W/O Ear

2- Terminal Plating:

- (E)-Sn
- (D)-FLASH Au
- (F)-0,38um Au
- (G)-0,76um Au
- (C)-0,38um Au/Sn
- (H)-0,76um Au/Sn

Pos.	Dim. A	Dim. B	Dim. C	Dim. D
10	10.16	18.15	22.95	11.43
14	15.24	23.23	28.03	16.51
16	17.78	25.77	30.57	19.05
20	22.86	30.85	35.65	24.13
24	27.94	35.93	40.73	29.21
26	30.48	38.47	43.27	31.75

Pos.	Dim. A	Dim. B	Dim. C	Dim. D
30	35.56	43.55	48.35	36.83
34	40.64	48.63	53.43	41.91
40	48.26	56.25	61.05	49.53
50	60.96	68.95	73.75	62.23
60	73.66	81.65	86.45	74.93
64	78.74	86.73	91.53	80.01



MATRIX TECNOLOGIA IND. E COM. LTDA.

UNIT	SCALE	TITLE	DATE
mm		2.54mm IDC Box Header Without Ear Type	DECEMBER 2009
TOLERANCE: ±0.25			APP. BY
		MATL	CHK. BY
		DWG. NO.	DR. BY Felipe