




# A-405 Axial Plastic Package

Package Outline, Tape, Reel and Packaging Information



# A-405 Axial Plastic Package




DIM	Min	Max
Α	25.40	
В	4.20	5.20
С	0.55	0.65
D	2.30	2.70

All Dimensions are in mm



### **AMMO PACKING FOR A-405**




All Dimensions are in mm

## **Packaging Information**

Package/		Std. Packing	Inner Carton			Outer Carton		
_	Packaging Type	Qty	Qty	Size L x W x H	<b>Gross Weight</b>	Qty	Size L x W x H	<b>Gross Weight</b>
Case Type				(cm)	(Kg)		(cm)	(Kg)
A-405	T&A	5,000	5K	27 x 8 x 14	1.96	45K	46 x 35 x 25	17.5

T & A: Tape and Ammo Pack



A-405 52 mm Tape				
DIM	Min	Max		
Α	50.0	54.0		
В	95.0	105.0		
С	5.60	6.50		
D		1.5R		
E	9.50	10.50		
F		1.25		

All Dimensions are in mm

### **TAPE SPECIFICATIONS**

- 1. 300 mm (Min) leader tape on every roll.
- 2. No. of empty places allowed 0.25% without consecutive empty places.
- 3. Ends of leads shall normally not protrude beyond the tapes.
- 4. Components shall be held sufficiently in the tape or tapes so that they can not come free in normal handling.

#### **Disclaimer**

The product information and the selection guides facilitate selection of the CDIL's Semiconductor Device(s) best suited for application in your product(s) as per your requirement. It is recommended that you completely review our Data Sheet(s) so as to confirm that the Device(s) meet functionality parameters for your application. The information furnished in the Data Sheet and on the CDIL Web Site/CD are believed to be accurate and reliable. CDIL however, does not assume responsibility for inaccuracies or incomplete information. Furthermore, CDIL does not assume liability whatsoever, arising out of the application or use of any CDIL product; neither does it convey any license under its patent rights nor rights of others. These products are not designed for use in life saving/support appliances or systems. CDIL customers selling these products (either as individual Semiconductor Devices or incorporated in their end products), in any life saving/support appliances or systems or applications do so at their own risk and CDIL will not be responsible for any damages resulting from such sale(s).

CDIL strives for continuous improvement and reserves the right to change the specifications of its products without prior notice.



C-120 Naraina Industrial Area, New Delhi 110 028, India.
Telephone + 91-11-2579 6150, 4141 1112 Fax + 91-11-2579 5290, 4141 1119 email@cdil.com www.cdilsemi.com

A-405\_Pkg Rev230906