



LTR	REVISION	DATE	APPD
4	040113-JH01: UPDATED LABEL & TEST DATA	04-03-13	GP



SIDE VIEW



Ledtronics Inc.  
SLL002P-72X2W-XPW-104  
100-277V 130W 60Hz ZZ

CONFORMS TO UL STD. 1598  
CERTIFIED TO CSA STD. C22.2 No. 250.0-08

Intertek  
4001379

SUITABLE FOR WET LOCATIONS.  
CONVIENT AUX EMPLACEMENTS MOUILLES.



Intertek  
4001379

NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. HOUSING MATERIAL: CAST ALUMINUM
3. LENS MATERIAL: CLEAR, TEMPERED HARDENED GLASS
4. WEIGHT: 20.1 lbs.

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input checked="" type="checkbox"/>	UL/ETL
<input checked="" type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

ELECTRO-OPTICAL CHARACTERISTICS

SLL002P-72X2W-XPW-104	PURE WHITE	120VAC 277VAC	1070-1310 495-610	130.0 W 128.5 W	0.99 0.90	73.8	9598	6625	5000K~5600K
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	INPUT CURRENT (mA)	ENERGY USED (Watts)	POWER FACTOR	EFFICACY lm/w	TOTAL LUMENS	FOOT CANDELA (typ)	COLOR TEMP. (Kelvin) REF.

LEDTRONICS, INC.  
23105 KASHIWA COURT  
TORRANCE, CA 90505

**-PROPRIETARY-**  
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5  
.XX ± .025 (UNLESS OTHERWISE STATED)  
ANGLES ± 0°.30'  
FRACT. ± 1/32

TITLE		SLL002P-72X2W-XPW-104			
DWG NO	SCALE	SHEET	DATE		
SLL002021-CUST	1:4	1 OF 1	11-28-12		
CODE IDENT NO. 8Z410	DWG BY AG 11-28-12	CHK BY	QA RD 04-04-13	MFG LD 04-03-13	R&D BJ 04-03-13