


LTR	REVISION	DATE	APPD
-	RELEASED	03-06-12	



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. MOUNTING DIAMETER: Ø5/16" (8.0mm)
3. SLEEVE COLOR: CHROME
4. BASE MATERIAL: BLACK, NYLON (UL94V-0)

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

PT502-OUR-014V-W6	ULTRA RED	WATERCLEAR	14VDC	0.015-0.020 A	0.900cd	652	12-15°
PT502-OUY-014V-W6	SUPER YELLOW	WATERCLEAR	14VDC	0.015-0.020 A	1.800cd	598	12-15°
PT502-1AG-014V-W6	AQUA GREEN	WATERCLEAR	14VDC	0.010-0.012 A	1.500cd	521	12-15°
PT502-1CW-014V-W6	COOL WHITE	WATERCLEAR	14VDC	0.010-0.012 A	0.625cd	8000K	12-15°
PT502-1PB-014V-W6	SUPER BLUE	WATERCLEAR	14VDC	0.010-0.012 A	0.500cd	461	12-15°
PT502T-OUR-014V-W6	ULTRA RED	RED DIFFUSED	14VDC	0.015-0.020 A	0.250cd	651	40°
PT502T-1AG-014V-W6	AQUA GREEN	GREEN DIFFUSED	14VDC	0.010-0.012 A	0.275cd	518	40°
LEDTRONICS PART NO.	COLOR EMITTED	LENS COLOR	INPUT VOLTAGE, V	CURRENT (A)	MAXIMUM CANDELA	λP nm	VIEWING ANGLE (FULL BEAM WIDTH AT 50% INTENSITY)
			ELECTRICAL TEST				

LED[®]
LEDTRONICS, INC.[™]
 23105 KASHIWA COURT
 TORRANCE, CA 90505

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE PT502X-XXX-014V-W6					
DWG NO	SCALE	SHEET	DATE		
PT502-14V-W6	1.5:1	1 OF 1	03-06-12		
CODE IDENT NO.	DWG BY	CHK BY	QA	MFG	R&D
8Z410	GP 03-06-12	PL 03-07-12			