






LTR	REVISION	DATE	APPD
A	SEE ECR#040312-GP01	04-03-12	GP



**ACTUAL SIZE**



**NOTES:**

1. MOUNTING DIAMETER: Ø5/16"

**LENS:**

1. LEXAN 201-112

**BULB:**

1. SLEEVE MATERIAL: DELRIN.
2. BASE MATERIAL: NICKEL PLATED BRASS (BODY BASE) BAKELITE (INSULATOR).
2. RIVET CAP MATERIAL: BRASS, GRADE B, .0005 THK.  
FINISH: NICKEL PLATE PER MIL SPEC MIL-C-26074

**HOLDER:**

1. MATERIAL: CASE - BRASS, NICKEL PLATED  
MOUNTING HARDWARE - BRASS, NICKEL PLATED  
TERMINALS - BRASS, GOLD PLATED
2. FINISH: BLACK NICKEL

**ASSEMBLED**



REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

HLC310-OAG-028P	AQUA GREEN	28VDC	0.010 A	0.28 W	0.150 cd	520	120°
HLC310-OUR-028P	SUPER RED	28VDC	0.012 A	0.34 W	0.033 cd	628	120°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	POWER (W)	MAXIMUM CANDELA	λP nm	VIEWING ANGLE (FULL BEAM WIDTH AT 50% INTENSITY)
		ELECTRICAL TEST					



**-PROPRIETARY-**  
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5  
.XX ± .025 (UNLESS OTHERWISE STATED)  
ANGLES ± 0°,30'  
FRACT. ± 1/32

TITLE							
<b>HLC310-OXX-028P</b>							
DWG NO		SCALE		SHEET		DATE	
HLC310-28V-P		2:1		1 OF 1		03-10-09	
CODE IDENT NO.	DWG BY	CHK BY	QA	RD	MFG LD	R&D	
8Z410	GP		04-03-12	04-03-12	04-03-12	BJ	04-03-12