


LTR	REVISION	DATE	APPD
A	031213-PL01: ADDED P/N (OCW)	03-12-13	GP



NOTES:

1. ALL DIMENSIONS ARE IN INCHES (MILLIMETERS).
2. LENS MATERIAL: CLEAR, UV POLYCARBONATE
3. SLEEVE MATERIAL: RYNITE FR530
4. BASE MATERIAL: BRASS, NICKEL PLATED BRASS

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

ELECTRO-OPTICAL CHARACTERISTICS

BBL504-OCW-120A-FL	COOL WHITE	120VAC	0.025 A	3.6 W	-	-	1.5	8000K
BBL504-OER-120A-FL	SUPER RED	120VAC	0.030 A	3.6 W	7.5cd	36 lm	1.5	633
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	POWER (W)	LIGHT OUTPUT PER LED lv, cd	TOTAL LUMENS	FLASH RATE/SEC.	COLOR TEMP. (K)
								λ_P nm



-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE BBL504-0XX-120A-FL					
DWG NO BBL504017-CUST		SCALE 1:1	SHEET 1 OF 1	DATE 12-02-08	
CODE IDENT NO 8Z410	DWG BY GP 12-02-08	CHK BY PL 03-12-13	QA	MFG	R&D