





LTR	REVISION	DATE	APPD
-	RELEASED	2-22-94	MRM
A	BACK VIEW & FOLDING TAB ADDED	8-18-94	ZM
B	LEAD LENGTH CHANGED TO .140 NO LONGER BUILD 5 WIDE, DWG NO. WAS P1201	05-23-95	
C	RVSD PER ECR 112702-SB01	12-02-02	WB

INTERLOCKABLE / ARRAYABLE DESIGN



NON-FUNCTIONAL TEMPORARY MECHANICAL TAB FOR EASE OF FINAL ASSEMBLY ONLY.


±.5°
COPLANER ALIGNMENT
WHEN ARRAYED



BACK VIEW

PCB-1201-XXX

NUMBER OF ARRAY UNITS
1ST LED COLOR CODE
2ND LED COLOR CODE





NOTES

- ① CAN BE USED AS LOW CURRENT (2mA) LEADS.
- 2. MATERIAL IS BLACK NYLON 66 (UL94V-0).

CODE	COLOR	λP nm
1	ULTRA RED	660 ①
2	HI-EFF RED	635
3	ORANGE	605
4	YELLOW	585
6	GREEN	565
8	BLUE	470
G	ULTRA GREEN	565 ①
Y	ULTRA YELLOW	590 ①

RECOMMENDED PCB LAYOUT

TAB DETAIL



LEDTRONICS, INC.
23105 KASHIWA COURT
TORRANCE, CA 90505

-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS, INC.. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, Inc..

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0',30'
FRACT. ± 1/32

TITLE						
PCB-1201-XXX						
DWG NO	SCALE	SHEET	DATE			
P1201001	1:1	1 OF 1	2-22-94			
CODE IDENT NO.	DWG BY	CHK BY	QA	MFG	CUSTOMER	
8Z410	MRM		JCH	SB		
			12-04-02	12-03-02		