

SSI-LXR4815SOD-150





PARAMETER	MIN	ΤΥP	MAX	UNITS	TEST COND
PEAK WAVELENGTH		610		nm	
FORWARD VOLTAGE		2.0	2.5	V_{f}	
REVERSE VOLTAGE	5.0			٧r	Ir=100μA
AXIAL INTENSITY		100		mcd	$I_f = 20 \text{mA}$
VIEWING ANGLE		60		2x theta	
EMITTED COLOR:	ORANGE				
EPOXY LENS FINISH:	ORANGE	DIFFUSED			

If = 20mA

PANEL CUTOUT

	1.	SSL-LX5063SQD,	ORANGE	LED.	TRIM	LEADS	TQ	5mm.
--	----	----------------	--------	------	------	-------	----	------

- 2. SSI-LXR4815, CHROME HOUSING, 3. SSH-LXH4815BSC, BLACK NYLON BUSHING. (NOT SEEN)
- 4. ANODE LEAD: LXP-WST24RDTOC, RED INSULATION, 16Dmm LONG, STRIP 2mm & 9.5mm.
- 5. CATHODE LEAD: LXP-WST24BLTOC, BLACK INSULATION, 16Dmm LONG, STRIP 2mm & 9.5mm.

_ /- Ø8.20	[ø0.323]
 /	

 _	[ø0.323]	

2TIMITS	ᄺ	CVEE	OPERATION	ΛТ	25°C
I IMIL.		3/AF F	CHERAILIN	ΑI	7.11.

ELECTRO-OPTICAL CHARACTERISTICS TA=25°C

PARAMETER	MAX	UNITS
PEAK FORWARD CURRENT*	150	mA
STEADY CURRENT	<i>3</i> 0	mA
POWER DISSIPATION	105	mW
DERATE FROM 25°C	- 1.2	mW/°C
OPERATING, STORAGE TEMP.	- 40 TO +85	.c

* t<10µS

UNCONTROLLED DOCUMENT

*UNILESS OTHERWISE SPECIFIED TOLERANCES PER DECINAL PRECISION ARE: X=±1 (±0.039), XXX=±0.5 (±0.020), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030). MIN= +DECINAL PRECISION MAX.= +0.00 (±0.000), XXX=±0.127 (±0.000), XXXX=±0.127 (±0.000), XXXX=±0.000, XXX=±0.000, XXX=±0.00

REV.

PART NUMBER

SSI-LXR4815SOD-150

T-5mm 610nm AllnGaP ORANGE LED PANEL INDICATOR LED, ORANGE DIFFUSED LENS, WITH 6" WIRE LEADS.

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF
LUMEX NO. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX
INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION
CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



BC

290 E. HELEN ROAD PALATINE, IL 60067-6976 PHONE: +1.847.359.2790 US WEB: www.lumex.com TW WEB: www.lumex.com.tw

DRAWN BY:

CHECKED BY: APPROVED BY: DATE: PAGE:

1.10.02 1 OF 1 SCALE: N/A