


DEPT	
1	1
2	
3	
4	2
5	
6	
7	
8	
9	
10	
11	
12	
NC	
JZ	

PART NAME: TERMINAL, FEMALE


PART NO: 3500H101/-4

PART NUMBER	MATERIAL	FINISH
3500H101A-4	.014 ±.001 TH'K BRASS	PRETINNED
3500H101AB-4	.014 ±.001 TH'K BRASS	NONE
3500H101AC-4	.014 ±.001 TH'K BRASS	SILVER PLATE
3500H101J-4	.015 ±.001 TH'K C.R.S.	NICKEL PLATE
3500H101JB-4	.015 ±.001 TH'K C.R.S.	NONE



NOTES:

1. TO ACCEPT .187 X .020 MALE TAB.
2. TO ACCOMMODATE #16-#22 GAUGE WIRE.
3. RECOMMENDED STRIP LENGTH: 5/32 ±1/32.
4. INSULATION RANGE: .040 - .085 DIA.
5. FOR TERMINALS LOOSE PIECE ADD SUFFIX "-1" TO PART NUMBER (I.E. 3500H101A-4-1).
6. FOR REVERSE REELING ADD SUFFIX "R" TO PART NUMBER (I.E. 3500H101A-4R).
7. FOR TERMINALS LESS DIMPLE ADD SUFFIX "-3" TO PART NUMBER (I.E. 3500H101A-4-3).
8. FOR PARTS WITH PAPER INTERLEAVING ADD SUFFIX "K" TO PART NUMBER. (i.e. 3500H101AB-4K).




STANDARD REELING  
(I.E. 3500H101A-4)

REVERSE REELING  
(I.E. 3500H101A-4R)

REELING DIAGRAMS

**ARK-LES**  
**UNCONTROLLED**



FABRICATED TERMINAL STRIP

SCALE: FULL

			PROD. REL.	SK 0144	6/25/80	JJB	TOLERANCES UNLESS OTHERWISE SPECIFIED:
			QUOTE REL.				DECIMALS ±.010 METRIC ±0.25mm ANGLES ±1°
			DR:	R. TASTULA	6/20/97		MATERIAL: SEE TABLE
			CHK'D:	R.W.T.	12-2-99		FINISH: SEE TABLE
J	REVISED PER ECR #11927	11/30/99	RT	APP: COR	12-3-99		PART NO: 3500H101/-4
H	REVISED PER ECR #11314	6/20/97	RT	SUPERCEDES DWG. DATED:	4/6/93		
REV.	DESCRIPTION	DATE	DR.	SCALE: 4:1	CAD NO: BTU0018		

ORIGINAL