



UBV45

NPN SILICON TRANSISTOR

HIGH VOLTAGE FAST SWITCHING NPN POWER APPLICATIONS

■ DESCRIPTION

The device is manufactured using High Voltage Multi Epitaxial Planar technology for high switching speeds and high voltage capability.


The UTC **UBV45** is designed for use in Compact Fluorescent Lamps.

■ FEATURES

- * High Voltage Capability
- * Low Spread of Dynamic Parameters
- * Very High Switching Speed







■ ORDERING INFORMATION

Ordering Number		Package	Pin Assignment			Packing
Lead Free Plating	Halogen Free		1	2	3	
UBV45L-T92-B	UBV45G-T92-B	TO-92	E	C	B	Tape Box
UBV45L-T92-K	UBV45G-T92-K	TO-92	E	C	B	Bulk



UBV45L-T92-B (1)Packing Type (2)Package Type (3)Lead Free		(1) B: Tape Box, K: Bulk (2) T92: TO-92 (3) L: Lead Free, G: Halogen Free
---	--	--

TYPICAL CHARACTERISTICS



UTC assumes no responsibility for equipment failures that result from using products at values that exceed, even momentarily, rated values (such as maximum ratings, operating condition ranges, or other parameters) listed in products specifications of any and all UTC products described or contained herein. UTC products are not designed for use in life support appliances, devices or systems where malfunction of these products can be reasonably expected to result in personal injury. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice.