



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: PS2408

8-outlet Vertical Power Strip with 15-ft. Cord

Highlights

- 8 outlets
- Convenient and safe covered, on/off switch
- 15-amp circuit breaker
- 15 ft. cord
- 24" length



Description

Tripp Lite's PS2408 power strip offers 15 amp, 120v multi-outlet AC power distribution in a convenient 24 inch mountable housing. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 8 NEMA 5-15R output receptacles with 2.48 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT/OUTPUT: Input: NEMA 5-15P/Output: 8 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 24 in. corded, mountable power strip

Applications

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

Package Includes

- PS2408
- Mounting hardware
- Instruction manual

Features

- Sturdy all-metal 24 inch corded strip format with 2.48 inch center-to-center outlet spacing
- Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 8 NEMA 5-15R output receptacles
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility

Specifications

| OVERVIEW | |
|--------------------------------------|---|
| Intended Application | Home/Office |
| OUTPUT | |
| Frequency compatibility | 50 / 60 Hz |
| Output watts | 1800 |
| Circuit Breaker (amps) | 15 |
| Outlet quantity / type | 8 Nema 5-15R |
| Outlet spacing | 2.48 in. |
| INPUT | |
| Nominal Input Voltage(s) Supported | 120V AC |
| Recommended Electrical Service | 15A 120V |
| Input connection type | Nema 5-15P |
| Input plug features | Black |
| Input cord length (ft.) | 15 |
| Input cord length (m) | 4.572 |
| Input cord gauge, type | 14/3 SJT |
| Voltage compatibility (VAC) | 120 |
| LEDS ALARMS & SWITCHES | |
| Switches | Lighted 2 position switch controls power to all outlets |
| Locking switch cover | Transparent on/off switch cover prevents accidental turn-off |
| PHYSICAL | |
| Unit Dimensions (HWD/in) | 24 x 1.5 x 1.5 |
| Unit Dimensions (HWD/cm) | 61 x 3.8 x 3.8 |
| Unit weight (lbs) | 3.2 |
| Unit weight (kg) | 1.4528 |
| Material of construction | Aluminum |
| Mounting accessories included | Includes mounting clips |
| Receptacle Color | Black |
| AC line cord color | Black |
| Style | Bench/Cabinet Mount |
| Form factors supported | Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications |
| Outlets center to center measurement | 63mm |
| CERTIFICATIONS | |
| UL1363 (Power Tap) | UL1363 |

| | |
|--|---------------------------|
| cUL / CSA (Canada) | cUL |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=192.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.