



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: B132-100-WP-1

VGA over Cat5 Receiver - RJ45-type Wallplate



Highlights

- Works with a [B132-002-1](#) or [B132-004-1](#) local transmitter unit to extend a 1920 x 1440 (60Hz) video signal up to 500 ft., or a 1024 x 768 (60Hz) video signal up to 1,000 ft.
- 24Awg, Solid Wire Cat5e/6 cable, such as Tripp Lite's [N022-01K-GY](#) (Cat5) and [N222-01K-GY](#) (Cat6), is required to achieve maximum distance and resolution
- For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite [P524-01K](#)
- RJ45 type wallplate allows you to use standard patch cable, eliminating the need for a 110 punchdown connection
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Tripp Lite's B132-100-WP-1 works with a [B132-002-1](#) or [B132-004-1](#) local transmitter unit to extend a 1920 x 1440 (60Hz) video signal up to 500 ft., or a 1024 x 768 (60Hz) video signal up to 1,000 ft.. 24Awg, Solid Wire Cat5e/6 cable, such as Tripp Lite's [N022-01K-GY](#) (Cat5) and [N222-01K-GY](#) (Cat6), is required to achieve maximum distance and resolution. For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite [P524-01K](#). Features built-in Equalization and Gain controls to adjust the video image. RJ45 type wallplate allows you to use standard patch cable, eliminating the need for a 110 punchdown connection. Ideal for digital signage situations, such as retail, schools, churches, etc.

Package Includes

- Extender remote (Receiver) wallplate
- Mini-Screwdriver for EQ/Gain adjustment
- Wallplate screws
- External Power Supply (Input: 100-240V, 50/60Hz, 0.5A Output: 5V, 2A)
- Owner's Manual

Features

- Works with a [B132-002-1](#) or [B132-004-1](#) local transmitter unit to extend a 1920 x 1440 (60Hz) video signal up to 500 ft., or a 1024 x 768 (60Hz) video signal up to 1,000 ft.
- 24Awg, Solid Wire Cat5e/6 cable, such as Tripp Lite's [N022-01K-GY](#) (Cat5) and [N222-01K-GY](#) (Cat6), is required to achieve maximum distance and resolution
- For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite [P524-01K](#)
- Features built-in Equalization and Gain controls to adjust the video image
- RJ45 type wallplate allows you to use standard patch cable, eliminating the need for a 110 punchdown connection
- Ideal for digital signage situations, such as retail, schools, churches, etc..
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases
- 1 year limited warranty.

Specifications

OVERVIEW

Cable Type	VGA
Display Style	Splitter
PHYSICAL	
Shipping weight (lbs)	1
Shipping weight (kg)	0.45
Unit Dimensions (HWD/in)	4.5 x 2.75 x 1
Unit Dimensions (HWD/cm)	11.43 x 6.99 x 2.54
Unit weight (lbs)	0.4
Unit weight (kg)	0.18
Color	White
CONNECTIONS	
Connector A	 HD15 (FEMALE)
Connector B	 RJ45 (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

Related Items

Required Products

Related Model	Description	Qty.
B132-002-2	VGA over Cat5 Extender 2-Port Transmitter	1
B132-004-1	VGA over Cat5 Extender 4-Port Transmitter	1

Recommended Products

Related Model	Description	Qty.
N202-050-BL	50-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-075-BL	75-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-100-BL	100-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-150-BL	150-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-200-BL	200-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
P502-006	6-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	1
P502-010	10-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	1
P502-015	15-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	1
P524-01K	1000-ft. Zero-Skew UTP Bulk Patch Cable for RGB Video	1

Optional Products

Related Model	Description	Qty.
B110-INT	International AC Adapter for Tripp Lite Video over CAT5 Extenders	1
B130-101-2	VGA over Cat5 Extender Kit (Transmitter + Receiver)	1
B130-101A-2	VGA + Audio over Cat5 Extender Kit (Transmitter + Receiver)	1
B130-101-WP-1	VGA over Cat5 (RJ45 Type) Extender Wallplate Kit (Transmitter + Receiver)	1
B130-101A-WP-1	VGA + Audio over Cat5 (RJ45 Type) Extender Wallplate Kit (Transmitter + Receiver)	1
B132-100-1	VGA over Cat5 Receiver	1
B132-100A	VGA + Audio over Cat5 Receiver	1
B132-100-WP-1	VGA over Cat5 Receiver - RJ45-type Wallplate	1
B132-100A-WP-1	VGA + Audio over Cat5 Receiver - RJ45-type Wallplate	1
B132-110	VGA over Cat5 Extender Remote/Repeater Unit	1
B132-110A	VGA + Audio over Cat5 Extender Remote/Repeater Unit	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4879.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.