



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: P502-050-P

50-ft. SVGA/VGA Plenum Rated Monitor Gold Cable with RGB Coax, (HD15 M/M)



Highlights

- UL Listed, CMP rated cable
- Molded Ends with Gold-plated connectors
- 75Ohm Coax RGB conductors
- Resolutions up to 2048 x 1536

Description

Tripp Lite's 50ft Plenum Rated SVGA cable is ideal in Educational or Commercial installations where local fire codes call for a CMP rated cable to run through walls, ceilings, and plenum air chambers. 100ft distance is achieved through high quality construction: 75ohm Coaxial conductors for Red, Green, and Blue (RGB) signals, each protected by a 93% tinned copper braid shield. An overall shielded of Mylar foil and 85% Copper Braid shield ensures maximum signal integrity.

Applications

- Educational or Commercial locations where Fire Codes dictate the use of Plenum Rated cables. Ideal for schools with suspended ceiling mount projectors, or retail locations with Plasma screen displays.

Package Includes


- 50-ft. Plenum Rated SVGA/VGA Monitor Cable HD15M to HD15M Gold Connectors w/ RGB Coax

Features

- Superior molded cables with foil and braid shielding for maximum EMI/RFI protection
- UL Listed, CMP Rated Cable Jacket
- Constructed from mini-coax (RGB) and paired video wire construction for superior signal quality
- Gold plated connectors and gold plated copper contacts ensure excellent conductivity
- HD15 male to HD15 male molded connectors
- Resolutions up to 2048 x 1536

Specifications

OVERVIEW	
Intended Application	Connecting Peripherals
Cable Type	MONITOR
INPUT	
Cable Length (ft.)	50
Cable Length (m)	15.24

UPC ASSIGNMENT	
Unit Carton UPC#	037332130679
PHYSICAL	
Color	Black
Style	Monitor Cables
CONNECTIONS	
Connector A	 HD15 (MALE)
Connector B	 HD15 (MALE)
Number of Connectors	2
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

Related Items

Optional Products

Related Model	Description	Qty.
B112-002-R	Manual VGA/SVGA 2 Position Switch - 3xHD15F	1
B114-002-R	VGA/SVGA 350MHz Video Splitter - 2 Port (HD15 M/2xF)	1
B114-004-R	VGA/SVGA 350MHz Video Splitter - 4 Port (HD15 M/4xF)	1
P158-000	Compact Gold HD15 Gender Changer (HD15M/M)	1
P160-000	Compact Gold HD15 Gender Changer (HD15F/F)	1
P500-006	6-ft. SVGA/VGA Monitor Extension Cable with RGB coax (HD15 M/F)	1
P500-025	25-ft. SVGA/VGA Monitor Extension Gold Cable with RGB coax, (HD15 M/F)	1
P500-050	50-ft. SVGA/VGA Monitor Extension Gold Cable with RGB coax, (HD15 M/F)	1
P500-100	100-ft. SVGA/VGA Monitor Extension Gold Cable with RGB coax, (HD15 M/F)	1
P502-006	6-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M)	1
P502-025	25-ft. SVGA/VGA Monitor Gold Cable with RGB Coax (HD15 M/M)	1
P516-001	1-ft. VGA/XVGA Monitor Y Splitter Cable (HD15M / 2xHD15F)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=3330.

