


## Products in Family


DRL1600R8/4GB (1 x 4GB 2Rx8 DIMM)  
 DRL1600R/8GB (1 x 8GB 2Rx4 DIMM)  
 DRL1600R/16GB (1 x 16GB 2Rx4 DIMM)



Features	Description
240-pin JEDEC-compliant DIMMs 133.35 mm wide by 30 mm high (1.181" x 5.25") Data Transfer Rate: 12.8 Gigabytes/sec Operating Voltage: 1.5 V $\pm$ 0.075 Fully RoHS Compliant Thermal Sensor	Each DRL1600R upgrade consists of a single DDR3-1600 Registered ECC DIMM that conforms to JEDEC's DDR3, PC3-12800 standard. One 2K-bit EEPROM is used for Serial Presence Detect and a combination register/PLL with Address and Command Parity is also used. A thermal sensor accurately monitors the DIMM module and can prevent exceeding the maximum operating temperature of 95C.

Dataram Product	Dell Product	Supported in these Dell systems:
DRL1600R8/4GB	A5816827, A5681562, A5681560	Dell PowerEdge R620, R715, R720, R720xd, R815, R820, M620, T620, C6220
DRL1600R/8GB	A5816812, A5681561, A5681559	
DRL1600R/16GB	TBD	


## Front view



## Notes

Tolerances on all dimensions except where otherwise indicated are  $\pm$ .13 (.005).  
 All dimensions are expressed in millimeters [inches]

## Back view



## Side view

