


Products in Family


DRSX2270-13/2GB (1 x 2GB DIMM)
 DRSX2270-813/2GB (1 x 2GB DIMM)
 DRSX2270-13/4GB (1 x 4GB DIMM)
 DRSX2270-13/8GB (1 x 8GB DIMM)
 DRSX2270/16GB (1 x 16GB DIMM)



Features	Description
240-pin JEDEC-compliant DIMMs 133.35 mm wide by 30 mm high (1.181" x 5.25") Data Transfer Rate: 10.6 Gigabytes/sec Operating Voltage: 1.5 V ±0.075 Fully RoHS Compliant Thermal Sensor	Each DRSX2270-13 upgrade consists of a single DDR3-1333 Registered ECC DIMM that conforms to JEDEC's DDR3, PC3-10600 standard. One 2K-bit EEPROM is used for Serial Presence Detect and a combination register/PLL with Address and Command Parity is also used. A thermal sensor accurately monitors the DIMM module and can prevent exceeding the maximum operating temperature of 95C.

Dataram Product	Sun Microsystems Product	Product Description:
DRSX2270-13/2GB DRSX2270-813/2GB DRSX2270-13/4GB DRSX2270-13/8GB DRSX2270/16GB	X8337A Not Offered by Sun X8338A, X8359A Not Offered by Sun Not Offered by Sun	1 x 2GB 1Rx4 PC3-10600R-9 1 x 2GB 2Rx8 PC3-10600R-9 1 x 4GB 2Rx4 PC3-10600R-9 1 x 8GB 2Rx4 PC3-10600R-9 1 x 16GB 2Rx4 PC3-10600R-9

Front view




Notes

Tolerances on all dimensions except where otherwise indicated are ±.13 (.005).

All dimensions are expressed in millimeters [inches]

Back view



Side view

