



RocketU USB 3.0 HBA's - for Mac Pro Platforms

PCI-Express 2.0 Host Interface with Integrated RAID Support

Industry's Fastest USB 3.0 HBA's: Dedicated 5Gb/s per-port Performance

HighPoint RocketU series: The Industry's Fastest USB 3.0 HBA's

HighPoint manufactures the industry's fastest 4-Port USB 3.0 HBA's.

Each dedicated USB 3.0 port supports transfer speeds up to 5Gb/s, for a combined bandwidth of up to 20Gb/s; perfect for Mac Pro workstations and multi-drive configurations of today's fastest SATA 6Gb/s devices.

USB 3.0 RAID Solution for Mac Pro's and Mac OS X.

RocketU HBA's for Mac Pro's integrate HighPoint's industry proven hardware assisted RAID technology, and were designed specifically for workstations and high-performance applications. The intuitive Web-browser based management interface that allows administrators to quickly create and manage storage configurations.

RocketU HBA's for Mac Pro's support RAID levels 0, 1, and JBOD, as well as single-disk configurations.

Dedicated 5Gb/s per-port Performance

HighPoint's innovative 4-Port HBA architecture delivers revolutionary USB 3.0 performance. Unlike conventional USB 3.0 HBA's, each port has a dedicated USB 3.0 SuperSpeed controller. The four independent 5Gb/s USB 3.0 Type-A connectors can be used simultaneously, and deliver an unprecedented transfer bandwidth 20Gb/s; ideal for multi-drive configurations of today's fastest SATA 6Gb/s SSD's and hard drives.

RocketU HBA's Support Every Generation of USB Drive

Rocket U HBAs support all generations of USB hard drives, SSD's, storage docks and enclosures. Dedicated 5Gb/s ports provide the throughput needed to support any type of drive, from today's fastest 6Gb/s SSD's to external RAID storage devices. RocketU HBA's will automatically recognize any external USB hard disk or SSD, and are fully compatible with USB 1.1, 2.0 and 3.0 hard drives, SSD's, and storage enclosures.

Feature Highlights




- Dedicated 5Gb/s per-port Performance
- PCI-Express 2.0 x4 Host Interface
- 4 USB 3.0 type-A ports
- HighPoint Host RAID Support: RAID 0, 1, JBOD
- Support up to 4 external USB HDD/SSD, or Enclosures
- Hot-Swap and Hot-Plug Support

Unlock the Performance Potential of USB Storage

Unlike conventional USB cards that are best used as simple device hubs, RocketU 4-Port HBA's are uniquely suited for high-speed USB 3.0 storage configurations.


RocketU HBA's are armed with four dedicated 5Gb/s USB 3.0 type-A ports and are ideal for a variety of external storage configurations including multi-drive bays, storage docks, and RAID enclosures.

RocketU 4-Port Series Technical Specifications	
Data Transfer Rate	Up to 5Gb/s per port
Number of Device Ports	4x USB 3.0 ports
Host Bus Interface	PCI-Express 2.0 x4
Device Connector Type	USB 3.0 Type-A
Devices Supported	Support up to 4 external USB HDD/SSD, or enclosures
Physical Form Factor	Full-Height
RAID Features Suite	RAID 0, 1, JBOD
	Hot-Plug and Hot-Swap support
	Larger than 3 TB drive support
Configuration Management Suites	User friendly Browser-based Management Interface
Monitoring and Management Support	Event Log
Operating System Support	Mac OS X 10.5 – 10.7.4 / Mac OS X 10.5-10.8 (RocketU 1144CM only)
Certification Approval	FCC, CE

RocketU Model	RocketU 1144CM	RocketU 1144BM	RocketU Quad USB 3.0 for Mac
Product Image	 3rd Generation – OS X Mountain Lion Support	 2nd Generation with 2oz copper Technology	
Host Bus Interface	PCI-Express 2.0 x4	PCI-Express 2.0 x4	PCI-Express 2.0 x4
Number of Device Ports	4x USB 3.0	4x USB 3.0	4x USB 3.0
Connector Type	Type-A	Type-A	Type-A
Transfer Bandwidth	20Gb/s	20Gb/s	20Gb/s
Form factor	Full Height	Full Height	Full Height
Retail Box Dimensions	7.76" L x 6.81" W x 1.18" H	7.76" L x 6.81" W x 1.18" H	7.76" L x 6.81" W x 1.18" H
Retail Box Weight	0.50 lbs.	0.50 lbs.	0.35 lbs.
UPC Code	643653114450	643653114436	643653114429
Kt Contents	RocketU Host Adapter, Software CD, Quick Installation Guide		
Warranty	1 Year		
Online Support	http://www.highpoint-tech.com/websupport/		

RocketU Dual-Port Series Technical Specifications

Data Transfer Rate	Up to 5Gb/s
Number of Device Ports	2x USB 3.0 ports
Host Bus Interface	PCI-Express 2.0 x1
Device Connector Type	USB 3.0 Type-A
Devices Supported	Support up to 2 external USB HDD/SSD, or Enclosures
Physical Form Factor	Low Profile
RAID Features Suite	RAID 0, 1, JBOD Hot-Plug and Hot-Swap support Larger than 3 TB drive support
Configuration Management Suites	User friendly Browser-based Management Interface
Monitoring and Management Support	Event Log
Operating System Support	Mac OS X 10.5 – 10.7.4
Certification Approval	FCC, CE

RocketU Model	RocketU Dual USB 3.0 for Mac
Product Image	
Host Bus Interface	PCI-Express 2.0 x1
Number of Device Ports	2x USB 3.0
Connector Type	Type-A
Transfer Bandwidth	5Gb/s
Form factor	Low Profile
Retail Box Dimensions	7.76" L x 6.81" W x 1.18" H
Retail Box Weight	0.30 lbs.
UPC Code	643653102228
Kt Contents	RocketU Host Adapter, Software CD, Quick Installation Guide
Warranty	1 Year
Online Support	http://www.highpoint-tech.com/websupport/

HighPoint Headquarters
Phone 1-408-942-5800
Fax 1-408-942-5801
E-mail sales@highpoint-tech.com
Website www.highpoint-tech.com
Address 1161 Cadillac Ct. Milpitas
CA, 95035

HighPoint Taiwan
Phone + 886-2-2218-3435
Fax + 886-2-2218-3436
E-mail sales@highpoint-tech.com
Website www.highpoint-tech.com
Address 5F., No.3, Swei Lane, Jhongjheng
Rd., Sindian District, New Taipei City
23148, Taiwan (R.O. C.)

HighPoint China
Phone + 86-10-6213-0920
Fax + 86-10-6897-5074
E-mail sales@highpoint-tech.com
Website www.highpoint-tech.cn
Address 4th Floor Kehaifulin Building,
NO. 12 Zhong Guan Cun South
Rd, Aidian District Beijing
China 100081

