

## GEOA104AU-PO01 10.4" Open frame monitors

### BENEFITS :

- Brilliant state-of-the-art LCD picture quality
- Analog RGB & DVI
- A full suite of touch screen options including: Resistive
- Single control operated & transparent On-Screen-Display (hereafter 'OSD') user interface
- RS232 communication; remote control OSD function power on/off
- Application
  - Kiosks
  - ATMs
  - Casino and amusement games
  - Lottery and ticket sales
  - Self-service
  - Industrial process control


### SPECIFICATIONS

Model	GEOA104AU-PO01
Case	Galvanized sheet metal
Display Type	Size: 10.4" diagonal Type: Active matrix TFT LCD
Useful screen area	Horizontal: 211.2 mm Vertical: 158.4 mm
Monitor dimensions	Width: 270.6 mm Height: 185mm Depth: 40mm
Optimal (native) resolution	800 x 600
Other supported resolutions	640 x 350 at 70Hz 640 x 400 at 70Hz 720 x 350 at 70Hz 720 x 400 at 70Hz 640 x 480 at 60~75Hz 800 x 600 at 60~75Hz
Colors	16.8M(8-bits)
Brightness LCD panel	230 cd/m2(Typ.)/With out Touch
Response time	30 msec (typical)
Viewing angle (typical, from center)	Horizontal (left/right): 70°/ 70° Vertical (up/down): 55°/65°
Contrast ratio	500:1 (typical)
Input video format	Analog RGB , DVI
Input video signal connector	Mini D-Sub 15-Pin, DVI 24-Pin
Input frequency	Horizontal: 31.5–80 kHz Vertical: 60–75 Hz
Power supply	Type: External brick, 100–240 VAC, 50–60 Hz Monitor input voltage: 12 VDC
Temperature	Operating: 0°C to 50°C Storage: 0°C to 50°C
Humidity	Operating: 5%–95% Storage: 5%–95% noncondensing
Weight (approx.)	Actual: TBD Packing/10pcs: TBD Packing dimensions: TBD
Touch interface	Option
Mounting Options	75 X 75 VESA Mounting Holes
Accessories	Option

GE0A104AU-P001





REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REVISIONS



SCALE 1/10

- NOTE:
- IDENTIFY WITH PARENT PART NUMBER, LATEST REV. DATE, AND PART NUMBER. ALL PARTS MUST BE IDENTIFIED WITH PARENT PART NUMBER AND REV. DATE AFTER SPECIFIED FINISH.
  - THIS DRAWING MAY BE USED FOR MULTIPLE QUANTITIES OF THE SAME PART. THE PART NUMBER SHALL BE THE SAME AS THE PART NUMBER ON THE ORIGINAL DRAWING.
  - ASSEMBLY MUST BE PACKAGED TO INSURE NO DAMAGE TO THE PARTS DURING STORAGE AND SHIPPING.
  - MATERIAL AND FINISH SPECIFICATIONS SHALL BE IN ACCORDANCE WITH DIRECTIVE 2007/23/EC.
  - INDICATED ITEMS NOT SHOWN.



QTY	ITEM	DESCRIPTION	UNIT
1	GE0A104AU-P001	OPEN FRAME (A0D), AU/D, 4*80PP10, W/O TOUCH	SHT

QTY	ITEM	DESCRIPTION	UNIT
1	GE0A104AU-P001	OPEN FRAME (A0D), AU/D, 4*80PP10, W/O TOUCH	SHT

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

REV	ECN	DESCRIPTION	BY DATE	CHECKED
EA		INITIAL RELEASE		
EB		CHANGE THE FRAME TOP UP MOUNTING HOLES PER APT		
EC		CHANGE OUTLINE DIMENSION		

