



280x280x89mm

- Airflow: 655~1424 CFM
- Static Pressure: 9.65~33.0 mm-H2O
- Blade: Glass reinforced thermoplastic, UL 94V-0
- Frame: Die-Cast Aluminum
- Weight: 4240 g

DC AXIAL FAN

DC BLOWER

XTREME SERIES

AC AXIAL FAN

Model No.	Bearing	Rated Voltage	Freq	Speed	Max. Airflow	Max. Static Pressure	Current	Power Consumption	Life at 65°C L10	P-Q Curve	Noise Level
	VAC	Hz	RPM	CFM	mm-H2O	A	W	Hour			
KT28089115BM	2B	115	50/60	1500/1700	655/ 779	9.65/12.2	0.82/0.67	61/ 60	40000	②/②	56.2/59.0
KW28090115B M	2B		50/60	1500/1700	655/ 779	9.65/12.2	0.82/0.67	61/ 60	40000	②/②	56.2/59.0
KT28090115B H	2B		50/60	2800/3200	1321/1424	33.0/23.1	1.65/2.50	185/300	40000	①/①	67.8/69.3
KW28090115B H	2B		50/60	2800/3200	1321/1424	33.0/23.1	1.65/2.50	185/300	40000	①/①	67.8/69.3
KT28090220BM	2B	230	50/60	1500/1700	655/ 779	9.65/12.2	0.42/0.35	62/ 65	40000	②/②	56.2/59.0
KW28090220B M	2B		50/60	1500/1700	655/ 779	9.65/12.2	0.42/0.35	62/ 65	40000	②/②	56.2/59.0
KT28090220B H	2B		50/60	2800/3200	1321/1424	33.0/23.1	0.75/1.25	185/290	40000	①/①	67.8/69.3
KW28090220B H	2B		50/60	2800/3200	1321/1424	33.0/23.1	0.75/1.25	185/290	40000	①/①	67.8/69.3

Buy Now

2B: 2-ball bearing S: sleeve bearing


Voltage Available

115 230


Bearing System Available

2B S

PERFORMANCE P-Q CURVE



OUTLINE DIMENSIONS



Please refer to *Model Numbering System* for bearing, function and speed level indication. Specifications are subject to changes without notice. Please refer to the formally issued product specification via contacting Y.S. TECH sales department. Visit Y.S. TECH web site at <http://www.ystechusa.com/> for updated information. Customized Specifications are designed accordingly.