

1. MATERIALS AND FINISHES
BODY - BRASS, NICKEL PLATING
CONTACT - BERYLLIUM COPPER, SILVER PLATING
INSULATOR - PTFE
2. ELECTRICAL:
A. IMPEDANCE: 50 OHM
3. MECHANICAL:
A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: - 65°C to +165°C

REV	DESCRIPTION	DATE	ECO	APPR
B	SEE SHEET 1	01-Sep-04	--	TONY
C	SEE SHEET 1	02-Dec-04	--	SH
R	REDRAWN TO UPDATE FORMAT	04-Dec-08	47204	SH
T	STAMP "AMPHENOL" WAS "74868"RD-DM11120601R3	26-Dec-11	48843	SH



UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ±0.1mm ±0.2mm ±0.3mm ±1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting any person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	MATERIAL REFERENCE FINISH	DRAWN R.MAO	DATE 12-Dec-11	TITLE N PLUG TO BNC JACK ADAPTOR UG-201A/U		Amphenol RF Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenolrf.com	
		ENGINEER S.HSIEH	DATE 02-Dec-04			DRAWING NO. 31-216	
		APPROVED S.HSIEH	DATE 12-Dec-11	SCALE: 3/1	SHEET 2 OF 2	ITEM NO. 31-216	
		CAD FILE F:\DWG\CNPDP\31\216-TS2		DWG SIZE B	CODE ID 74868	REV I	PART NO. 31-216