



PRODUCT DATA SHEET

Controlled Document - Engineering Drive

1530 Shields Drive
Waukegan, IL 60085
Toll-Free (800) 323-9355
Fax: (847) 689-1192

PART NUMBER: 97195
DESCRIPTION: 24/2PR +16/2 CL2P PLENUM CABLE
CONSTRUCTION: This cable consists of 24/2 pair and 16 AWG two insulated conductors with an overall plenum jacket
APPROVALS: ETL Listed to UL Standard 13

Construction Parameters:

Conductors	24ga:	24 AWG Solid BC
	16ga:	16 AWG 19/.0117" BC
Insulation Material		Low Smoke PVC
Insulation Thickness	24ga:	0.007" Nom.
	16ga:	0.008" Nom.
Insulated Cond. Dia.	24ga:	0.034" Nom.
	16ga:	0.074" Nom.
Number of Conds.	24ga:	4 (2 twisted pairs)
	16ga:	2
Lay Length		24ga pairs are twisted to CAT5E lay lengths, 16ga run parallel under jacket
Overall Jacket Material		Low Smoke PVC
Overall Jacket Thickness		0.015" Nom.
Overall Cable Diameter		0.181" Nom.
Approximate Cable Weight		34.4 Lbs/1M' Nom.
Flame Rating		NFPA 262 Steiner Tunnel Smoke and Flame Test

Electrical Properties:

Temperature Rating	-20°C to 60°C
Operating Voltage	300 V RMS Max.

Component Colors	24/2pr: White/Blue & Blue/White White/Orange & Orange/White
Jacket Color	16/2: Black Red Natural (White)
Legend (Surface Ink Print)	COLEMAN CABLE 97195 24/2PR + 16/2 (ETL) ETL# TYPE CL2P

This product complies with European Directive 2002/95/EC (RoHS)

On special orders, the customer will accept all factory lengths and +/- 10 percent of total order requested.

Material is not returnable and purchase order is non-cancelable after production has been started or special materials have been ordered.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control, all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman Cable disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Coleman Cable. Any information contained herein shall not be disclosed to any party without written consent of Coleman Cable.

Specification Issue Date: June 20, 2010