

Controller



117 03 016

RGB Controller (incl. Remote & Battery)

Input: 12 DC/ 24VDC
Terminal: DC-Jack Øinternal = 2.1 mm (male)
Øexternal = 5.5 mm
Output: 12 DC/ 24VDC / max. 10A
Remote: RC (radio control)
Dimensions: 113 x 64 x 24 mm



118 00 002

Battery

for RGB Controller 117 03 016

Voltage: 12 V



117 03 007

RGB Amplifier

Input: 12 DC/ 24VDC / 15 A
Terminal: Screw or DC-Jack Øinternal=2.1 mm
Øexternal=5.5 mm
Output: 12 DC/ 24VDC / 3 x 5 A
Terminal: Screw
Dimensions: 115 x 65 x 24 mm



117 03 030

RGB Remote

Output-Signal: RF
Dimensions: 114 x 41 x 7 mm
Battery built-in, charge by USB wire (included)
To use with 117 03 031



117 03 031

RGB Controller

Input: 12-36VDC
Terminal: screw
Output: 12-36VDC 3 x 5A
Terminals: screw
Dimensions: 160 x 45 x 20 mm

Controller



117 03 024

RGBW Remote

Output-Signal: RF
Dimensions: 140 x 48 mm
Batteries: 3x1.5V AAA (not included)
To use with 117 03 022



117 03 022

RGBW Controller

Input: 12-36VDC
Terminal: screw
Output: 12-36VDC 4 x 5A
Terminals: screw
Dimensions: 177 x 57 x 20 mm



117 03 040

Cold, Natural, Warm-White Remote

Output-Signal: RF
Dimensions: 114 x 41 x 7 mm
Battery built-in, charge by USB wire (included)
To use with 117 03 041



117 03 041

Cold, Natural, Warm-White Controller

Input: 12-36VDC
Terminal: Screw
Output: 12-36VDC 3 x 5A
Terminals: Screw
Dimensions: 160 x 45 x 20 mm



117 03 050

Single Channel Remote

Output-Signal: RF
Dimensions: Ø 32 x 12 mm
Battery: CR 2025
To use with 117 03 051



117 03 051

Channel Controller

Input: 12-36VDC
Terminal: Screw
Output: 12-36VDC 4 x 5A
Terminals: Screw
Dimensions: 160 x 45 x 20 mm

Controller



117 03 080

RGBW Remote (wall-mounted type)

Input: 12-24VDC
 Terminals: Screw
 Output: DMX
 Terminals: Screw
 Dimensions: 86 x 86 mm
 To use with 117 03 070



117 03 070

DMX Decoder

Input: 12-36VDC
 Input-Signal: DMX
 Terminal: Screw
 Output: 12-36VDC 4 x 5A
 Terminals: Screw
 Dimensions: 160 x 45 x 20 mm



117 03 060

Power Repeater (Amplifier)

Input: 12-36VDC
 Terminal: Screw
 Output: 12-36VDC 4 x 5A
 Terminals: Screw
 Dimensions: 160 x 45 x 20 mm
 To use with 117 03 031, 041, 051, 060, 070



117 03 005

Dimmer manual Single colour

Input: 12V DC/24V DC
 Terminal: Screw
 Output: 12V DC/24V DC / 8 A
 Terminal: Screw
 Dimensions: 89 x 59 x 36 mm



117 03 006

Dimmer manual RGB

Input: 12V DC/24V DC
 Terminal: Screw
 Output: 12V DC/24V DC / 3 x 3 A
 Terminal: Screw
 Dimensions: 130 x 40 x 31 mm