



Perfect sound has
never been so moving.

Sennheiser/adidas SPORTS

 **SENNHEISER**

Developed with athletes

The adidas and Sennheiser brands are strongly associated with strong features and utilized by sport-loving individuals and athletes. In order to offer the best audio performance matched with the highest sports functionality, we have been seeking regular feedback from athletes in crafting our second generation of sports earphones and headsets. We prognosticate your needs and defy the harshest conditions. We understand sound and sports. In the heat of competition, the sound gear must inspire and become your source of inspiration.

*Please check www.sennheiser.com for the latest information on compatibility.

Made for

 iPod  iPhone  iPad



CX 685 SPORTS

Ear-canal phones

- Maximum ruggedness and durability
- Premium comfort
- Customized fit
- Natural sound
- Superior strength and reliability
- Excellent connectivity
- 2 year warranty

MX 685 SPORTS

Earphones

- Maximum ruggedness and durability
- Situational awareness
- Premium comfort
- Customized fit
- Natural sound
- Superior strength and reliability
- Excellent connectivity
- 2 year warranty



OCX 685i SPORTS / OCX 685i White SPORTS

Clip-on headset

- Maximum ruggedness and durability
- Premium comfort
- Customized fit
- Natural sound
- Superior strength and reliability
- Ease of use
- Excellent connectivity
- 2 year warranty



PMX 685i SPORTS

Neckband headset

- Maximum ruggedness and durability
- Situational awareness
- Customized fit
- Natural sound
- Superior strength and reliability
- Ease of use
- Excellent connectivity
- 2 year warranty



PX 685i SPORTS / PX 685i White SPORTS

Headband-style headset

- Maximum ruggedness and durability
- Situational awareness
- Customized fit
- Natural sound
- Superior strength and reliability
- Ease of use
- Excellent connectivity
- 2 year warranty



Technical data

CX 685 SPORTS

MX 685 SPORTS

EAN	4044155073676	4044155073690
UPC	615104221222	615104221260
Article No.	504966	504968
Frequency response	18 – 20,000 Hz	18 – 20,000 Hz
Sound Pressure level	120 dB (1 kHz / 1 V _{rms})	118 dB (1 kHz / 1 V _{rms})
Impedance	16 Ω	16 Ω
THD	<0.5 % (1 kHz / 100 dB)	< 0.5 % (1 kHz / 100 dB)
Cable length	1.2 m symmetrical cable	1.2 m symmetrical cable
Jack plug	3.5 mm, angled	3.5 mm, angled
Delivery includes	CX 685, Ear adapters (S/M/L), Cleaning tool, Storage pouch, Cable clip	MX 685, Foam ear pads, Air cushion adapters, Ear sleeves (S/L), Storage pouch, Cable clip
Packaging		
Packaging type	Box with window	Box with window
Dimension of product packaging (L x B x H)	125 x 42 x 140 mm	125 x 42 x 140 mm
Weight of product incl. packaging	149 g	150 g
Dimensions of inner master carton (L x B x H)	290 x 135 x 175 mm	290 x 135 x 175 mm
Amount of products in inner master carton	6	6
Total weight of inner master carton incl. products	1112 g	1115 g
Dimensions of outer master carton (L x B x H)	310 x 290 x 390 mm	310 x 290 x 390 mm
Amount of products per outer master carton	24	24
Total weight of outer master carton incl. products	4977 g	4989 g
Packaging languages	English, German, French, Dutch, Spanish, Italian, Portuguese	

OCX 685i SPORTS

OCX 685i White SPORTS

PMX 685i SPORTS

PX 685i SPORTS

PX 685i White SPORTS

EAN	4044155073799	4044155073805	4044155073812	4044155073829	4044155073836
UPC	615104221468	615104221482	615104221499	615104221505	615104221512
Article No.	504978	504979	504980	504981	504982
Frequency response	18 – 20,000 Hz	18 – 20,000 Hz	18 – 20,000 Hz	18 – 20,000 Hz	18 – 20,000 Hz
Sound Pressure level (1 kHz / 1 V_{rms})	120 dB	120 dB	120 dB	120 dB	120 dB
Impedance	16 Ω	16 Ω	16 Ω	16 Ω	16 Ω
THD (1 kHz / 100 dB SPL)	<0.5 %	<0.5 %	<0.5 %	<0.5 %	<0.5 %
Cable length	1.2 m, symmetrical	1.2 m, symmetrical	1.2 m, single-sided	1.2 m, symmetrical	1.2 m, symmetrical
Jack plug	3.5 mm, angled	3.5 mm, angled	3.5 mm, angled	3.5 mm, angled	3.5 mm, angled
Delivery includes	OCX 685i, Ear adapters (S/M/L), Cleaning tool, Storage pouch, Cable clip		PMX 685i, Foam ear pads, Storage pouch, Cable clip	PX 685i, Foam ear pads, Air cushion adapters, Ear sleeves (S/L), Storage pouch, Cable clip	
Microphone					
Frequency response	100 – 10,000 Hz	100 – 10,000 Hz	100 – 10,000 Hz	100 – 10,000 Hz	100 – 10,000 Hz
Pick up pattern	Omni-directional	Omni-directional	Omni-directional	Omni-directional	Omni-directional
Sensitivity (as per 121 TR 9–5)	-44 dB V/Pa	-44 dB V/Pa	-44 dB V/Pa	-44 dB V/Pa	-44 dB V/Pa
Packaging					
Packaging type	Box with window	Box with window	Box with window	Box with window	Box with window
Dimension of product packaging (L x B x H)	125 x 42 x 140 mm	125 x 42 x 140 mm	180 x 61 x 163 mm	178 x 48 x 165 mm	178 x 48 x 165 mm
Weight of product incl. packaging	156 g	156 g	188 g	183 g	183 g
Dimensions of inner master carton (L x B x H)	290 x 135 x 175 mm	290 x 135 x 175 mm	375 x 195 x 190 mm	310 x 190 x 190 mm	310 x 190 x 190 mm
Amount of products in inner master carton	6	6	6	6	6
Total weight of inner master carton incl. products	1152 g	1152 g	1459 g	1375 g	1375 g
Dimensions of outer master carton (L x B x H)	310 x 290 x 390 mm	310 x 290 x 390 mm	410 x 395 x 420 mm	330 x 330 x 420 mm	330 x 330 x 420 mm
Amount of products per outer master carton	24	24	24	24	24
Total weight of outer master carton incl. products	5137 g	5137 g	6689 g	6323 g	6323 g
Packaging languages	English, German, French, Dutch, Spanish, Italian, Portuguese				