

High Speed USB 2.0 7-Port Hub

User Manual

Ver. 4.00

**All brand names and trademarks are properties of their
Respective owners.**

Features

- USB 1.1 and 2.0 Compliant
- Fully Backward Compatible with USB 1.1
- Up to 480 Mbps (Megabits-Per-Second) Data Transfer Rate
- Seven Independent, Fully Functional, Downstream Ports
- Hot Swappable Plug-n-Play
- 7 USB Type A Ports
- Supports high-speed (480Mbps), full-speed (12Mbps), and low-speed (1.5Mbps) data transfer modes
- Supports simultaneous operation of multiple high-speed USB 2.0 and USB 1.1 devices
- Hot-swapping feature allows you to attach/detach USB devices without powering your computer off
- Power & USB enabled indicator LED
- No device drivers required for Hub installation
- Support Windows 2000, XP, Vista and Mac OS X or later version

System Requirements

PC

- Windows® 2000, XP, Vista

- Available USB 2.0 port

Mac

- Mac OS 8.6 or greater. Requires OS X for USB 2.0 support
- Available USB 2.0 port

Package Contents

- 1 x High Speed USB 2.0 7-Port Hub
- 1 x User Manual

Optional Accessories

- USB Cable
- Power Adapter (DC 5V)

Front Panel LED Indications

LED	Status	Description
POWER	ON	Lights up when the USB 2.0 Hub is receiving power from the power source at the correct current level

USB Activity	ON	Lights up when connecting the USB 2.0 Hub to the computer's USB port
---------------------	----	--

Hardware Installation

1. Plug the Hi-Speed USB 2.0 Cable (type B end) into the upstream port of the Hi-Speed USB 2.0 Hub.
2. Plug the Hi-Speed USB 2.0 Cable (type A end) into your computer's Hi-Speed USB 2.0 Port.

Important Note: The Hub must be connected to a USB 2.0-compliant host in order to function in high-speed mode (480Mbps data rate). If connected to a USB 1.1-compliant host, the Hub will operate only in low or full-speed mode (1.5/12Mbps).

3. Upon powering up your computer, the USB 2.0 hub will be recognized by the computer's operating system.
4. Once complete, you are ready to plug all peripheral devices into your new Hi-Speed USB 2.0 Hub.