USB 2.0 to VGA/DVI Adapter

User Manual

Ver. 2.00

All brand names and trademarks are properties of their respective owners.

Contents:

Chapter 1: Introduction	3
1.1 Product Introduction	3
1.2 Features	3
1.3 System Requirements	4
1.4 Package Contents	4
Chapter 2: Getting Started	4
2.1 Driver Installation	4
2.2.1 Installation for Windows	4
2.2.2 Installation for Mac OS X	6

Chapter 1: Introduction

1.1 Product Introduction

This USB 2.0 to VGA/DVI Adapter lets you add a high-resolution 1680x1050 external VGA or DVI output to your desktop or laptop computer system, using an available USB 2.0 port.

1.2 Features

- Compliant with USB specification, revision 2.0
- Supports suspend and wake-up modes
- Functionality: primary, extended or mirror
- Resolution: up to 1680 x 1050 @ 32-bit color
- VGA or DVI output
- 16MB Display Memory
- Allows multiple connection in a single PC
- Bus Powered no external power supply needed

1.3 System Requirements

- Windows® XP 32-bit, Vista/7/8 (32/64 bit); Mac OS X 10.6 or above
- Available USB 2.0 port

1.4 Package Contents

- 1 x USB 2.0 to VGA/DVI Adapter
- 1 x Driver CD
- 1 x User Manual

Chapter 2: Getting Started

2.1 Driver Installation

2.2.1 Installation for Windows

 Insert the provided CD into your disk drive. The CD-ROM will start automatically. The following screen will show up and please click "Install Driver".



*Note: Actual image may vary

Note: If the install program doesn't run automatically, please locate and double-click on the **Autorun.exe** file in the CD to launch the install program.

2. Please click "USB 2.0 to VGA/DVI".



*Note: Actual image may vary

3. Follow the instructions on screen to install the driver.

2.2.2 Installation for Mac OS X

- 1. Insert the provided CD into your CD-ROM drive.
- Double-click the "USB Graphics" disc icon, double-click "Drivers" folder.



*Note: Actual image may vary

 Double-click "USB 2.0 to VGA/DVI Adapter" folder, and then double click "Mountain Lion & Lion Installer" file (OS Dependent) to launch the installer.





*Note: Actual image may vary

4. Follow the instructions on screen to install the driver. After driver installation is complete, you must restart your computer.