

# **USB 3.0 2.5” SATA Hard Drive Enclosure**

## **User Manual**

**Ver. 1.00**

**All brand names and trademarks are properties of their  
respective owners.**

## ***Features & Specifications***

- Supports USB 3.0 SuperSpeed and USB 2.0
- Maximum transfer rate of 5 Gbps with USB 3.0 and 480Mbps with USB 2.0; actual speed depends on the hard drive performance
- Supports SATA 2.5” hard drives
- Supports Plug and Play
- No software or drivers required
- LED to indicate drive power and activity

## ***System Requirements***

- Windows® XP/Vista/7 (32/64 bit)
- Available USB port

## ***Package Contents***

- 1 x USB 3.0 2.5” SATA Hard Drive Enclosure
- 1 x User Manual
- 1 x USB 3.0 Cable

Note: Contents may vary depending on country/market.

# ***Hardware Installation***

## ***1. Chassis Assembly***

Disassemble the front panel from the housing by removing one screw from each side of the housing with a screwdriver, then remove the front panel

(See Figure A-C)



Figure A



Figure B



Figure C

## 2. Hard Drive Installation

Connect the hard drive, install it and fasten the screws

(See Figure D-G)



Figure D



Figure E



Figure F



Figure G

## ***Driver Installation***

No driver installation is required for Windows operating systems, as this enclosure is natively supported, so the drivers are already installed.