

# **USB 3.0 3.5” SATA 3G Hard Drive Enclosure**

## **User Manual**

**Ver. 1.00**

**All brand names and trademarks are properties of their  
respective owners.**

## ***Features & Specifications***

- Supports USB 3.0 SuperSpeed and USB 2.0
- Maximum transfer rate of 5 Gbps with USB 3.0 and 480Mbps with USB 2.0; actual speed depends on the hard drive performance
- Supports SATA 3.5” hard drives
- Supports Plug and Play
- Supports Windows 2000, XP/Vista/7 (32/64 bit)

## ***System Requirements***

- Windows® 2000, XP/2003/Vista/7 (32/64 bit)
- Available USB port

## ***Package Contents***

- 1 x USB 3.0 3.5” SATA 3G Hard Drive Enclosure
- 1 x User Manual
- 1 x USB 3.0 Cable
- 1 x Power Adapter

Note: Contents may vary depending on country/market.

## ***Hard Drive Installation***

Install a hard disk drive in the Enclosure Kit by completing the following steps.

1. Disassemble the rear panel from the housing by removing one screw from each side of the housing with a screwdriver.



2. Push the bottom panel out of the housing.



3. Insert the SATA cable into the hard drive, and insert the control board power cable into the receptacle on the hard drive.



4. Turn the enclosure so that the bottom side is facing up and insert the first screw. Tighten the first screw ensuring that proper alignment is maintained while tightening. Repeat for the three screws.



5. Align the edges of the hard drive platform and carefully slide the assembled platform into the enclosure housing.



6. Fasten the rear panel to the enclosure housing by replacing the (2) screws removed in step 1.



7. The Enclosure Kit is now assembled and ready for connection to a computer.

## ***Connecting the Enclosure to a Computer***

Complete the following steps to connect the enclosure to a host computer.

1. Connect the AC/DC power adapter, then turn on the power switch; ensure that the Power LED indicator is active.
2. Connect the USB 3.0 cable from the Enclosure to an available USB port on the computer system.

## ***Driver Installation***

Windows will automatically detect and install the drivers for the USB 3.0 3.5" SATA 3G Hard Drive Enclosure.