

CLW-SLVU-P

Cameo® In-Wall Remote Dimmer, 120V

- > Field-replaceable, engravable buttons
- > Available in all designer colors
- > Models popular Cameo® style
- > Configurable with rocker or 2 buttons
- > Supports CLW-DIMEX-P, CLW-SWEX-P, and CLW-DELVEX-P

The CLW-SLVU-P is a Cameo® in-wall remote dimmer which features field-replaceable, engravable buttons. Available in designer colors and configurable with 2 buttons or in a rocker layout, the CLW-SLVU-P uses a “universal” design, capable of interfacing with the [CLW-DIMEX-P](#), [CLW-SWEX-P](#), and [CLW-DELVEX-P](#).

Multipoint Dimmer

The CLW-SLVU-P lets you control lights or other dimmable loads from multiple locations. Similar to traditional 3- or 4-way circuits, the CLW-SLVU-P connects to the main Cameo dimmer via the “traveler” wire. The remote dimmer does not need to be programmed, providing instant usability upon installation. Up to 9 CLW-SLVU-P can be connected to a single Cameo dimmer.

Field-Replaceable Button Faces

Like Cameo dimmers and switches, the buttons on the CLW-SLVU-P can be swapped in the field, making it easy to change engraving or color after installation. The rocker controller brings a familiar user interface to the Crestron in-wall switch, while the 2 button layout offers clear on/off control.



SPECIFICATIONS

Power Requirements

120 Volts AC, 50/60Hz, line power

Controls

2 buttons or rocker for dim/switch control or recall of presets

LED Indicator

Feedback: (1) White LED light pipe pinhole

Connections

Line: Black Terminal
Neutral: White Terminal
Rem: Blue Terminal
Ground: Green Terminal

Environmental

Temperature: 32° to 104°F (0° to 40°C)
Humidity: 10% to 90% RH (non-condensing)

Enclosure

1-gang mountable in a 3-1/2 inch deep electrical box;
Requires decorator style faceplate (not included)

Dimensions

Height: 4.13 in (105 mm)
Width: 1.75 in (45 mm)
Depth: 1.75 in (45 mm)

Weight

5 oz (142 g)

CLW-SLVU-P Cameo® In-Wall Remote Dimmer, 120V

MODELS

Available Models

CLW-SLVU-P-A-S: Cameo® In-Wall Remote Dimmer, 120V, Almond Smooth

CLW-SLVU-P-A-T: Cameo® In-Wall Remote Dimmer, 120V, Almond Textured

CLW-SLVU-P-B-S: Cameo® In-Wall Remote Dimmer, 120V, Black Smooth

CLW-SLVU-P-B-T: Cameo® In-Wall Remote Dimmer, 120V, Black Textured

CLW-SLVU-P-BRN-S: Cameo® In-Wall Remote Dimmer, 120V, Brown Smooth

CLW-SLVU-P-DA-S: Cameo® In-Wall Remote Dimmer, 120V, Dark Almond Smooth

CLW-SLVU-P-DSK-T: Cameo® In-Wall Remote Dimmer, 120V, Dusk Textured

CLW-SLVU-P-GRY-S: Cameo® In-Wall Remote Dimmer, 120V, Gray Smooth

CLW-SLVU-P-IVR-S: Cameo® In-Wall Remote Dimmer, 120V, Ivory Smooth

CLW-SLVU-P-LAT-T: Cameo® In-Wall Remote Dimmer, 120V, Latte Textured

CLW-SLVU-P-W-S: Cameo® In-Wall Remote Dimmer, 120V, White Smooth

CLW-SLVU-P-W-T: Cameo® In-Wall Remote Dimmer, 120V, White Textured

Notes:

This product may be purchased from an authorized Crestron dealer. To find a dealer, please contact the Crestron sales representative for your area. A list of sales representatives is available online at www.crestron.com/salesreps or by calling 800-237-2041.

The specific patents that cover Crestron products are listed online at: patents.crestron.com.

Crestron, the Crestron logo, and Cameo are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography. Specifications are subject to change without notice. ©2014 Crestron Electronics, Inc.

CLW-SLVU-P Cameo® In-Wall Remote Dimmer, 120V

CAD DRAWINGS

