



## Specifications


Type		CMF			
Dimensions (L x W x H)	mm	121 x 103 x 83			
Weight	kg	3.8			
Capacitance ( $\pm 10\%$ )	$\mu\text{F}$	1.5 $\mu\text{F}$	3.1 $\mu\text{F}$	5 $\mu\text{F}$	10.5 $\mu\text{F}$
Sinusoidal Voltage	V <sub>rms</sub>	1400		1100	1000
Peak Voltage	V	1974		1551	1410
Max. Current	A <sub>rms</sub>	750	1000	1200	
Max. Power	kVA <sub>r</sub>	1000	1200		
Freq Range @ Full Power	kHz	54-60	31-43	32-38	18-18
Stray Inductance	nH	< 3			




**CMF 1.5 µF 1400 V<sub>rms</sub> 750 A<sub>rms</sub> 1000 kVA<sub>r</sub>**  
 I(A) — Q(kVA<sub>r</sub>) — V<sub>rms</sub> —



**CMF 3.1 µF 1400 V<sub>rms</sub> 1000 A<sub>rms</sub> 1200 kVA<sub>r</sub>**  
 I(A) — Q(kVA<sub>r</sub>) — V<sub>rms</sub> —



**CMF 5 µF 1100 V<sub>rms</sub> 1200 A<sub>rms</sub> 1200 kVA<sub>r</sub>**  
 I(A) — Q(kVA<sub>r</sub>) — V<sub>rms</sub> —



**CMF 10.5 µF 1000 V<sub>rms</sub> 1200 A<sub>rms</sub> 1200 kVA<sub>r</sub>**  
 I(A) — Q(kVA<sub>r</sub>) — V<sub>rms</sub> —