



NOTES:

1. MATERIALS


HOUSING: UNFILLED NYLON 6/6, RATED UL 94V-2
 FOR COLOURS, SEE CHARTS ON SHEETS 2-6.
 TERMINALS: PHOSPHOR BRONZE, 0.40/(0.016) THICK REF.
 PLATING: 5um/(200uin) MIN PURE Sn

2. PRODUCT CONFORMS TO SPECIFICATION PS-99020-0037


3. ACCEPTS CABLE, PER ES-99036-0008 OR ES-99036-0009
 AS PER THE APPLICATION SPECIFICATION AS-99033-0004

4. SEE SUBSEQUENT SHEETS FOR PART NUMBERS SHOWING
 THE VARIOUS CODING, KEYING AND LATCHING OPTIONS

/(0.012)



CKT 1 CKT 2 CKT 3 CKT 4 CKT 5 CKT 6
 1a 1b 2a 2b 3a 3b 4a 4b 5a 5b 6a 6b



01c d1 02c 03c 05c 06c
 CKT 1 CKT 2 CKT 3 CKT 4 CKT 5 CKT 6

A-A

KEYING, CODING & LATCH IDENTIFICATION
 (6 CKT EXAMPLE SHOWN)



| | | | | |
|------------|---|-------------------|------|------|
| 90833 00 | 2 | BLUE | | |
| 90833 0057 | 2 | NA UPAL YELLOW | | |
| 90833 0052 | 2 | NA UPAL YELLOW | > 2c | 0 c |
| | | NA UPAL YELLOW | | |
| | 2 | GPCY | -> | c20 |
| 90833 0020 | 2 | NA UPAL | c > | 0 c |
| 90833 002 | 2 | NA UPAL | > | |
| 90833 0063 | 2 | BLUE | > | |
| 90833 0022 | 2 | NA UPAL | < 2> | NONC |
| | | NA UPAL | | |
| | | NA UPAL | | |

