








ALIGNMENT TOLERANCES FOR .100 MAX. BOARD-TO-BOARD MISALIGNMENT
(NO CONNECTOR FLOAT)



SEE NOTE 15

SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/25 APPR: F.S.MITH	REV D1	DESCRIPTION QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY GEP	DATE 1994/08/10	TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES		
			4 PLACES ± ---		± ---	CHECKED BY R.J.F.	DATE 1994/08/10				
			3 PLACES ± ---		± .010	APPROVED BY F.S.MITH		DATE 2011/10/11			
			2 PLACES ± 0.25		± .015	MATERIAL NO.		DOCUMENT NO.			
			1 PLACE ± 0.38		± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 3			
					ANGULAR ± 5 °				SDA-44475-****		
								SHEET NO. 2 OF 3			
								MOLEX INCORPORATED			
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

13		12		11		10		9		8		7		6		5		4		3		2		1																																																																																																																																																																			
ITEM NUMBER		CKT. SIZE	HOUSING MATERIAL	PLATING (SEE NOTE 2)		ITEM NUMBER		CKT. SIZE	HOUSING MATERIAL	PLATING (SEE NOTE 2)																																																																																																																																																																																	
J	X	44475-0211	2	94V-2	I	X	44475-0222	2	94V-0	2																																																																																																																																																																																	
		↑ -0411	4	↑	↑	X	↑ -0422	4	↑	↑																																																																																																																																																																																	
		-0611	6			X	-0622	6																																																																																																																																																																																			
I	X	-0811	8			X	-0822	8																																																																																																																																																																																			
		-1011	10			X	-1022	10																																																																																																																																																																																			
	X	-1211	12			X	-1222	12																																																																																																																																																																																			
H		-1411	14			X	-1422	14																																																																																																																																																																																			
	X	-1611	16			X	-1622	16																																																																																																																																																																																			
		-1811	18				-1822	18																																																																																																																																																																																			
G	X	-2011	20			X	-2022	20																																																																																																																																																																																			
	X	↓ -2211	22	↓	↓	X	↓ -2222	22	↓	↓																																																																																																																																																																																	
		44475-2411	24	94V-2	I	X	44475-2422	24	94V-0	2																																																																																																																																																																																	
F	X	44475-0221	2	94V-0	I																																																																																																																																																																																						
		↑ -0421	4	↑	↑																																																																																																																																																																																						
		-0621	6																																																																																																																																																																																								
E	X	-0821	8																																																																																																																																																																																								
		-1021	10																																																																																																																																																																																								
	X	-1221	12																																																																																																																																																																																								
D		-1421	14																																																																																																																																																																																								
		-1621	16																																																																																																																																																																																								
		-1821	18																																																																																																																																																																																								
C	X	-2021	20																																																																																																																																																																																								
	X	↓ -2221	22	↓	↓																																																																																																																																																																																						
		44475-2421	24	94V-0	I																																																																																																																																																																																						
<table><tr><th>ITEM. NO.</th><th>CKT. SIZE</th><th>HSG. MAT'L.</th><th colspan="24">TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:</th></tr><tr><th></th><th></th><th></th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th><th>13</th><th>14</th><th>15</th><th>16</th><th>17</th><th>18</th><th>19</th><th>20</th><th>21</th><th>22</th><th>23</th><th>24</th></tr><tr><td>44475-3000</td><td>24</td><td>94V-0</td><td>1</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																										ITEM. NO.	CKT. SIZE	HSG. MAT'L.	TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																											1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	44475-3000	24	94V-0	1	1	-	1	-	1	-	1	-	1	1	1	1	1	-	1	-	1	-	1	-	1	1	1																																																																																	
ITEM. NO.	CKT. SIZE	HSG. MAT'L.	TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																																																																																																																																																																																								
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																																																																																																																																																																	
44475-3000	24	94V-0	1	1	-	1	-	1	-	1	-	1	1	1	1	1	-	1	-	1	-	1	-	1	1	1																																																																																																																																																																	
<table><tr><td rowspan="4">SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/20 APPR: FSMITH 2012/06/25</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0 ▽=0</td><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4">DIMENSION STYLE IN/MM</td><td colspan="4">SCALE 1:1</td><td colspan="4">DESIGN UNITS METRIC</td><td colspan="4">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">mm</td><td colspan="2">INCH</td><td colspan="4">DRAWN BY GEP</td><td colspan="4">DATE 1994/08/10</td><td colspan="8" rowspan="2">TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="4">CHECKED BY RJF</td><td colspan="4">DATE 1994/08/10</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="4">APPROVED BY FSMITH</td><td colspan="4">DATE 2011/10/11</td><td colspan="4">MATERIAL NO. SEE CHART</td><td colspan="4">DOCUMENT NO. SDA-44475-****</td><td colspan="4">SHEET NO. 3 OF 3</td></tr><tr><td colspan="10">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="4">SIZE C</td><td colspan="12">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																										SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/20 APPR: FSMITH 2012/06/25	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE IN/MM				SCALE 1:1				DESIGN UNITS METRIC				THIRD ANGLE PROJECTION				mm		INCH		DRAWN BY GEP				DATE 1994/08/10				TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED												CHECKED BY RJF				DATE 1994/08/10								APPROVED BY FSMITH				DATE 2011/10/11				MATERIAL NO. SEE CHART				DOCUMENT NO. SDA-44475-****				SHEET NO. 3 OF 3				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SIZE C				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																					
SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/20 APPR: FSMITH 2012/06/25	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE IN/MM				SCALE 1:1				DESIGN UNITS METRIC				THIRD ANGLE PROJECTION																																																																																																																																																																									
		mm		INCH		DRAWN BY GEP				DATE 1994/08/10				TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED																																																																																																																																																																													
						CHECKED BY RJF				DATE 1994/08/10																																																																																																																																																																																	
						APPROVED BY FSMITH				DATE 2011/10/11				MATERIAL NO. SEE CHART				DOCUMENT NO. SDA-44475-****				SHEET NO. 3 OF 3																																																																																																																																																																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SIZE C				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																													
<table><tr><td>1b_frame_C_P_AM.T Rev. F 2009/06/18</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr></table>																										1b_frame_C_P_AM.T Rev. F 2009/06/18	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																					
1b_frame_C_P_AM.T Rev. F 2009/06/18	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																															