



RECOMMENDED PLATED THRU HOLE PATTERN
SCALE 2:1

"XX" CIRCUITS EQUALLY SPACED @ 5.08 (.200)

NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: NONE
6. "XX" REFERS TO THE QUANTITY OF CIRCUIT POSITIONS.
7. REFER TO DWG SD-38120-003 FOR OPTIONAL IMPRINTING (JDA AND JIA)

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
2	XX	HEADER PIN (1-630 OPTION)	BRASS	GOLD PLATE
		HEADER PIN	BRASS	TIN PLATE
1	1	INSULATOR	NYLON	SEE CHART

EC NO. ECN 3719 DRWN: CY 06-04-04 CHK: APPR:	QUALITY SYMBOLS MAJOR CRITICAL SPC REV	GENERAL TOLERANCES: UNLESS SPECIFIED mm ENCH		SCALE 3:1 DESIGN UNITS <input type="checkbox"/> MM <input checked="" type="checkbox"/> INCH	THIRD ANGLE PROJECTION <input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> FIRST ANGLE
		4 PLACES ±.038 ±.0015 3 PLACES ±.038 ±.005 2 PLACES ±.13 ±.01 1 PLACE ±.3		DRAWN BY & DATE R. KEMP 12-05-01	TITLE: HEADER RA, CLOSED ENDS, ASSY (5.08 (.200) CENTERS)
		ANGLULAR ±2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY & DATE P. WALTZ 12-06-01	APPROVED BY & DATE L. ROTHAU 12-06-01
		CAD FILENAME BG19XX		MATERIAL NO. SEE SHT. 2	DRAWING NO. SD-39860-011
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.					SIZE B

