

## Type 12 Consolets 1488 Series

### Hinged Cover



### Application

- Designed for use as electric, hydraulic or pneumatic control and instrument enclosures.
- Ideal for flat or surface mounting/pedestal to provide the necessary 30° or 60° control slope.
- Provides protection from dirt, dust, oil and water.

### Standards

- UL 508 Type 12, 13
- CSA Type 12, 13
- **Complies with**
  - NEMA Type 12, 13
  - IEC 60529, IP54

### Construction


- Formed 14 gauge steel.
- smooth, continuously welded seams.
- Construction provides either 30° or 60° slope on front cover depending on mounting position.
- Continuously hinged cover may be removed by pulling the hinge pin.
- Captive cover screws thread into sealed wells.
- Oil resistant gasket and adhesive.
- A bonding stud is provided on the door and a ground stud is provided on the enclosure.

### Finish

- Cover and enclosure are phosphatized and finished in ANSI 61 gray powder coating.


### Accessories

- [Pedestal and Base](#)







**Front View**

\*Bracketed for 1488LL13, LN13 & LQ13



**Cutaway View**



**Corner View with Cover Removed**

| Part No. | A     | B     | C     | E     | N     | L     | K     | H     | J     | Ship Wt.<br>lbs. |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------|
| 1488EE7  | 8.00  | 8.00  | 7.16  | 5.64  | 7.44  | 6.63  | 7.50  | 8.34  | 8.34  | 9                |
| 1488EH7  | 8.00  | 12.00 | 7.16  | 5.64  | 7.44  | 6.63  | 11.50 | 8.34  | 12.34 | 11               |
| 1488EJ7  | 8.00  | 16.00 | 7.16  | 5.64  | 7.44  | 6.63  | 15.50 | 8.34  | 16.34 | 13               |
| 1488EL7  | 8.00  | 20.00 | 7.16  | 5.64  | 7.44  | 6.63  | 19.50 | 8.34  | 20.34 | 15               |
| 1488HH9  | 12.00 | 12.00 | 9.16  | 7.64  | 10.90 | 10.63 | 11.50 | 12.34 | 12.34 | 16               |
| 1488HJ9  | 12.00 | 16.00 | 9.16  | 7.64  | 10.90 | 10.63 | 15.50 | 12.34 | 16.34 | 19               |
| 1488HL9  | 12.00 | 20.00 | 9.16  | 7.64  | 10.90 | 10.63 | 19.50 | 12.34 | 20.34 | 24               |
| 1488HN9  | 12.00 | 24.00 | 9.16  | 7.64  | 10.90 | 10.63 | 23.50 | 12.34 | 24.34 | 26               |
| 1488JJ11 | 16.00 | 16.00 | 11.16 | 9.64  | 14.37 | 14.63 | 15.50 | 16.34 | 16.34 | 26               |
| 1488JL11 | 16.00 | 20.00 | 11.16 | 9.64  | 14.37 | 14.63 | 19.50 | 16.34 | 20.34 | 30               |
| 1488JN11 | 16.00 | 24.00 | 11.16 | 9.64  | 14.37 | 14.63 | 23.50 | 16.34 | 24.34 | 39               |
| 1488JQ11 | 16.00 | 30.00 | 11.16 | 9.64  | 14.37 | 14.63 | 29.50 | 16.34 | 30.34 | 45               |
| 1488JS11 | 16.00 | 36.00 | 11.16 | 9.64  | 14.37 | 14.63 | 35.50 | 16.34 | 36.34 | 44               |
| 1488LL13 | 20.00 | 20.00 | 13.16 | 11.64 | 17.83 | 18.63 | 18.63 | 20.34 | 20.34 | 37               |
| 1488LN13 | 20.00 | 24.00 | 13.16 | 11.64 | 17.83 | 18.63 | 22.63 | 20.34 | 24.34 | 44               |
| 1488LQ13 | 20.00 | 30.00 | 13.16 | 11.64 | 17.83 | 18.63 | 28.63 | 20.34 | 30.34 | 47               |

Data subject to change without notice.

