

# Special Products

## ATO™ Resistor

Part Number: 240100 Series



### Specifications

**Operating Temp.:** -20°C to +85°C  
**Resistor Value:** Optional  
**Power Rating:** 1/4 W Max  
**Body Material:** Thermoplastic  
**Term. Material:** C.R.S. (Ni/Zn Plated)  
**Term. Retention:** 25 N

## ATO™ Diode

Part Number: 240103



### Specifications

**Operating Temp.:** -40°C to +85°C  
**Diode Rating:** 1.0 A  
**Max P.I.V.:** Optional  
**Body Material:** Thermoplastic  
**Term. Material:** C.R.S. (Ni/Zn Plated)  
**Term. Retention:** 25 N

## MINI™ Resistor

Part Number: 240100 Series



### Specifications

**Operating Temp.:** -40°C to +85°C  
**Resistor Value:** Optional  
**Power Rating:** 1/4 Max  
**Body Material:** Thermoplastic  
**Term. Material:** C.R.S. (Ni/Zn Plated)  
**Term. Retention:** 25 N

## MINI™ Diode

Part Number: 240113



### Specifications

**Operating Temp.:** -40°C to +85°C  
**Diode Rating:** 1.0 A  
**Max P.I.V.:** Optional  
**Body Material:** Thermoplastic  
**Term. Material:** C.R.S. (Ni/Zn Plated)  
**Term. Retention:** 25 N

## ATO™ Shunt

Part Number: 240094



### Specifications

**Operating Temp.:** -40°C to +125°C  
**Maximum Continuous Load Rating:** 35 A  
**Body Material:** Thermoplastic (UL 94V0 Rated)  
**Term. Material:** Brass Tin Plated

## MINI™ Shunt

Part Number: 297900



### Specifications

**Operating Temp.:** -40°C to +125°C  
**Maximum Continuous Load Rating:** 20 A  
**Body Material:** Thermoplastic (UL 94V0 Rated)  
**Term. Material:** Zinc Silver Plated

## JCASE™ Shunt

Part Number: 495900



### Specifications

**Operating Temp.:** -40°C to +125°C  
**Maximum Continuous Load Rating:** 50 A  
**Body Material:** Nylon  
**Term. Material:** Copper